



PUBLICATIONS OSTEOARTHRITIS INITIATIVE (UPDATED 10/08/2018)

2018

1. Bindawas S. M. [Total knee arthroplasty status and patient-reported, knee-related quality of life over a 4-year follow-up period: Data from the osteoarthritis initiative.](#) *Patient preference and adherence* 2018;12:477-82.[PMCID:5881523].
2. Berlinberg A., Ashbeck E. L., Roemer F. W., Guermazi A., Hunter D. J., Westra J., Trost J., Kwok C. K. [Diagnostic performance of knee physical exam and participant-reported symptoms for MRI-detected effusion-synovitis among participants with early or late stage knee osteoarthritis: Data from the osteoarthritis initiative.](#) *Osteoarthritis Cartilage* 2018.[Epub ahead of print].
3. Chanchek N, Gersing AS, Schwaiger BJ, Nevitt MC, Neumann J, Joseph GB, Lane NE, Zarnowski J, Hofmann FC, Heilmeyer U, McCulloch CE, Link TM. [Association of diabetes mellitus and biochemical knee cartilage composition assessed by t2 relaxation time measurements: Data from the Osteoarthritis Initiative.](#) *J Magn Reson Imaging.* 2018;47:380-90.[PMCID:5702599]
4. Culvenor A. G., Felson D. T., Wirth W., Dannhauer T., Eckstein F. [Is local or central adiposity more strongly associated with incident knee osteoarthritis than the body mass index in men or women?](#) *Osteoarthritis Cartilage* 2018;26:1033-7.[PMCID:6050106].
5. Culvenor AG, Hamler FC, Kemnitz J, Wirth W, Eckstein F. Brief report: [Loss of muscle strength prior to knee replacement: A question of anatomic cross-sectional area or specific strength?](#) *Arthritis Rheumatol* 2018;70:222-9.[PMCID:5788724].
6. Dam EB, Runhaar J, Bierma-Zienstra S, Karsdal M. [Cartilage cavity-an MRI marker of cartilage lesions in knee oa with data from CCBR, OAI and PROOF.](#) *Magn Reson Med* 2018;80:1219-32.
7. Davis JE, Liu SH, Lapane K, Harkey MS, Price LL, Lu B, Lo GH, Eaton CB, Barbe MF, McAlindon TE, Driban JB. [Adults with incident accelerated knee osteoarthritis are more likely to receive a knee replacement: Data from the Osteoarthritis Initiative.](#) *Clin Rheumatol* 2018; 37:1115-8. [PMCID:5882537].
8. Davis JE, Harkey MS, Ward RJ, Mackay JW, Lu B, Price LL, Eaton CB, Barbe MF, Lo GH, McAlindon TE, Driban JB. [Characterizing the distinct structural changes associated with self-reported knee injury among individuals with incident knee osteoarthritis: Data from the Osteoarthritis Initiative.](#) *Clinical anatomy* 2018 ;31:330-4.[PMCID:5847470].

9. Dell'Isola A, Steultjens M. [Classification of patients with knee osteoarthritis in clinical phenotypes: Data from the Osteoarthritis Initiative](#). *PLoS One* 2018;13:e0191045. [PMCID:5766143].
10. Dell'isola A., Wirth W., Steultjens M., Eckstein F., Culvenor A. G. [Knee extensor muscle weakness and radiographic knee osteoarthritis progression](#). *Acta Orthop* 2018:1-6.
11. Deveza L. A., Kraus V. B., Collins J. E., Guermazi A., Roemer F. W., Nevitt M. C., Hunter D. J. [Is synovitis detected on non-contrast-enhanced magnetic resonance imaging associated with serum biomarkers and clinical signs of effusion? Data from the osteoarthritis initiative](#). *Scand J Rheumatol* 2018;47:235-42.
12. Dorais M., Martel-Pelletier J., Raynauld J. P., Delorme P., Pelletier J. P. [Impact of oral osteoarthritis therapy usage among other risk factors on knee replacement: A nested case-control study using the Osteoarthritis Initiative cohort](#). *Arthritis Res Ther* 2018;20:172.[PMCID:6081796].
13. Dube B., Bowes M. A., Hensor E. M. A., Barr A., Kingsbury S. R., Conaghan P. G. [The relationship between two different measures of osteoarthritis bone pathology, bone marrow lesions and 3d bone shape: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2018;26:1333-7[PMCID:6158344].
14. Dube B, Bowes MA, Kingsbury SR, Hensor EMA, Muzumdar S, Conaghan PG. [Where does meniscal damage progress most rapidly? An analysis using three-dimensional shape models on Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2018;26:62-71.
15. Everhart J. S., Abouljoud M. M., Flanigan D. C. [The role of full-thickness cartilage defects in knee osteoarthritis \(oa\) incidence and progression: Data from the OA Initiative](#). *J Orthop Res* 2018. [Epub ahead of print].
16. Fenton S. A., Neogi T., Dunlop D., Nevitt M., Doherty M., Duda J. L., Klocke R., Abhishek A., Rushton A., Zhang W., Lewis C. E., Torner J., Kitis G., White D. K. [Does the intensity of daily walking matter for protecting against the development of a slow gait speed in people with or at high risk of knee osteoarthritis? An observational study](#). *Osteoarthritis Cartilage* 2018;26:1181-9.[PMCID:6098720].
17. Fujii T. [Cartilage/chondrocyte research and osteoarthritis. Epidemiological studies on osteoarthritis: Design and findings](#). *Clin Calcium* 2018;28:767-74.
18. Gilbert A. L., Lee J., Song J., Semanik P. A., Ehrlich-Jones L. S., Kwok C. K., Dunlop D. D., Chang R. W. [The relationship between self-reported restless sleep and objectively measured physical activity in adults with knee osteoarthritis](#). *Arthritis Care Res (Hoboken)* 2018. [Epub ahead of print].
19. Guimaraes JB, Nevitt MC, McCulloch CE, Schwaiger BJ, Gersing AS, Facchetti L, Bucknor MD, Chanckek N, Liu F, Joseph GB, Link TM. [Association of weight change with progression of meniscal intrasubstance degeneration over 48 months: Data from the Osteoarthritis Initiative](#). *Eur Radiol* 2018;28:953-62.[PMCID:5812808].
20. Haj-Mirzaian A., Guermazi A., Hakky M., Sereni C., Zikria B., Roemer F. W., Tanaka M. J., Cosgarea A. J., Demehri S. [Tibial tuberosity to trochlear groove distance and its association with patellofemoral osteoarthritis-related structural damage worsening: Data from the osteoarthritis initiative](#). *Eur Radiol* 2018.[Epub ahead of print].

21. Haj-Mirzaian A, Guermazi A, Roemer FW, Bowes MA, Conaghan PG, Demehri S. [Bisphosphonates intake and its association with changes of periarticular bone area and three-dimensional shape: Data from the Osteoarthritis Initiative \(OAI\)](#). *Osteoarthritis Cartilage* 2018;26:564-8.
22. Halilaj E., Le Y., Hicks J. L., Hastie T. J., Delp S. L. [Modeling and predicting osteoarthritis progression: Data from the osteoarthritis initiative](#). *Osteoarthritis Cartilage* 2018. [Epub ahead of print].
23. Halilaj E., Hastie T. J., Gold G. E., Delp S. L. [Physical activity is associated with changes in knee cartilage microstructure](#). *Osteoarthritis Cartilage* 2018.[Epub ahead of print].
24. Han A., Gellhorn A. C. [Trajectories of quality of life and associated risk factors in patients with knee osteoarthritis: Findings from the osteoarthritis initiative](#). *Am J Phys Med Rehabil* 2018;97:620-7.
25. Harkey M. S., Price L. L., McAlindon T. E., Davis J. E., Stout A. C., Lu B., Zhang M., Eaton C. B., Barbe M. F., Lo G. H., Driban J. B. [Declining walking speed associates with increasing bone marrow lesion volume and effusion volume in individuals with accelerated knee osteoarthritis](#). *Arthritis Care Res (Hoboken)* 2018. Epub ahead of print].
26. Heilmeier U., Wamba J. M., Joseph G. B., Darakananda K., Callan J., Neumann J., Link T. M. [Baseline knee joint effusion and medial femoral bone marrow edema, in addition to MRI-based T2 relaxation time and texture measurements of knee cartilage, can help predict incident total knee arthroplasty 4-7 years later: Data from the Osteoarthritis Initiative](#). *Skeletal Radiol* 2018.[Epub ahead of print].
27. Hofmann FC, Neumann J, Heilmeier U, Joseph GB, Nevitt MC, McCulloch CE, Link TM. [Conservatively treated knee injury is associated with knee cartilage matrix degeneration measured with mri-based t2 relaxation times: Data from the osteoarthritis initiative](#). *Skeletal Radiol* 2018;47:93-106.[PMCID:5699952].
28. Hopkins C. [Physical activity and future physical function: Data from the Osteoarthritis Initiative](#). *J Aging Phys Act* 2018:1-16.
29. Hu B, Skou ST, Wise BL, Williams GN, Nevitt MC, Segal NA. [Lower quadriceps rate of force development is associated with worsening physical function in adults with or at risk for knee osteoarthritis: 36-month follow-up Data from the Osteoarthritis Initiative](#). *Arch Phys Med Rehabil* 2018;99:1352-9.[PMCID:6019160].
30. Jayabalan P., Kocherginsky M., Chang A., Rouleau G. W., Koloms K. L., Lee J., Dunlop D., Chang R. W., Sharma L. [Physical activity and worsening of radiographic findings in persons with or at higher risk of knee osteoarthritis](#). *Arthritis Care Res (Hoboken)* 2018. [Epub ahead of print].
31. Jacobs C. A., Vranceanu A. M., Thompson K. L., Lattermann C. [Rapid progression of knee pain and osteoarthritis biomarkers greatest for patients with combined obesity and depression: Data from the Osteoarthritis Initiative](#). *Cartilage* 2018:1947603518777577. [Epub ahead of print].
32. Joseph GB, McCulloch CE, Nevitt MC, Neumann J, Gersing AS, Kretzschmar M, Schwaiger BJ, Lynch JA, Heilmeier U, Lane NE, Link TM. [Tool for osteoarthritis risk prediction \(toarp\)](#)

[over 8 years using baseline clinical data, x-ray, and MRI: Data from the Osteoarthritis Initiative](#). *J Magn Reson Imaging*. 2018;47:1517-26.[PMCID:5955763].

33. Joseph G. B., Nevitt M. C., McCulloch C. E., Neumann J., Lynch J. A., Heilmeier U., Lane N. E., Link T. M. [Associations between molecular biomarkers and MR-based cartilage composition and knee joint morphology: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2018;26:1070-7.[PMCID:6050081].
34. Kemnitz J., Wirth W., Eckstein F., Culvenor A. G. [The role of thigh muscle and adipose tissue in knee osteoarthritis progression in women: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2018;26:1190-5.
35. Kashyap S., Zhang H., Rao K., Sonka M. [Learning-based cost functions for 3-d and 4-d multi-surface multi-object segmentation of knee mri: Data from the osteoarthritis initiative](#). *IEEE Trans Med Imaging* 2018;37:1103-13
36. Kim C, Nevitt M, Guerhazi A, Niu J, Clancy M, Tolstykh I, Jungmann P. M, Lane N. E., Segal N. A., Harvey W. F., Lewis C. E., Felson D. T. [Leg length inequality and hip osteoarthritis in the multicenter osteoarthritis study and the osteoarthritis initiative](#). *Arthritis Rheumatol* 2018.[Epub ahead of print].
37. Klets O, Mononen ME, Liukkonen MK, Nevalainen MT, Nieminen MT, Saarakkala S, Korhonen RK. [Estimation of the effect of body weight on the development of osteoarthritis based on cumulative stresses in cartilage: Data from the Osteoarthritis Initiative](#). *Ann Biomed Eng* 2018;46:334-44.[PMCID:5844567].
38. Kumar N, Hafezi-Nejad N, Guerhazi A, Haj-Mirzaian A, Haugen IK, Roemer FW, Demehri S. [Association of quantitative and topographic assessment of heberden's nodes with knee osteoarthritis: Data from Osteoarthritis Initiative](#). *Arthritis Rheumatol* 2018.[Epub ahead of print].
39. Kumm J., Turkiewicz A., Zhang F., Englund M. [Structural abnormalities detected by knee magnetic resonance imaging are common in middle-aged subjects with and without risk factors for osteoarthritis](#). *Acta Orthop* 2018:1-6.
40. Kwee RM, Hafezi-Nejad N, Roemer FW, Zikria BA, Hunter DJ, Guerhazi A, Demehri S. [Association of mucoid degeneration of the anterior cruciate ligament at MR imaging with medial tibiofemoral osteoarthritis progression at radiography: Data from the Osteoarthritis Initiative](#). *Radiology* 2018;287:912-21.
41. Leyland KM, Gates LS, Nevitt M, Felson D, Bierma-Zeinstra SM, Conaghan PG, Engebretsen L, Hochberg M, Hunter DJ, Jones G, Jordan JM, Judge A, Lohmander LS, Roos EM, Sanchez-Santos MT, Yoshimura N, van Meurs JBJ, Batt ME, Newton J, Cooper C, Arden NK. [Harmonising measures of knee and hip osteoarthritis in population-based cohort studies: An international study](#). *Osteoarthritis Cartilage* 2018;26:872-9.[PMCID:6010158].
42. Liu S. H., Dube C. E., Eaton C. B., Driban J. B., McAlindon T. E., Lapane K. L. [Longterm effectiveness of intraarticular injections on patient- reported symptoms in knee osteoarthritis](#). *J Rheumatol* 2018;45:1316-24.[PMCID:6119626].
43. Lo GH, Strayhorn MT, Driban JB, Lyn Price L, Eaton CB, McAlindon TE. [Subjective crepitus as a risk factor for incident symptomatic knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)* 2018;70:53-60.[PMCID:5671376].

44. Lo GH, Merchant M, Driban JB, Duryea J, Price LL, Eaton CB, McAlindon TE. [Knee alignment is quantitatively related to periarticular bone morphometry and density, especially in those with osteoarthritis](#). *Arthritis Rheumatol* 2018;70:212-21.[PMCID:5788729].
45. Lo GH, Schneider E, Driban JB, Price LL, Hunter DJ, Eaton CB, Hochberg MC, Jackson RD, Kwok CK, Nevitt MC, Lynch JA, McAlindon TE. [Periarticular bone predicts knee osteoarthritis progression: Data from the Osteoarthritis Initiative](#). *Semin Arthritis Rheum* 2018. [Epub ahead of print].
46. Lo G. H., Musa S. M., Driban J. B., Kriska A. M., McAlindon T. E., Souza R. B., Petersen N. J., Storti K. L., Eaton C. B., Hochberg M. C., Jackson R. D., Kwok C. K., Nevitt M. C., Suarez-Almazor M. E. [Running does not increase symptoms or structural progression in people with knee osteoarthritis: Data from the osteoarthritis initiative](#). *Clin Rheumatol* 2018.[Epub ahead of print].
47. Magnusson K., Kumm J., Turkiewicz A., Englund M. [A naturally aging knee, or development of early knee osteoarthritis?](#) *Osteoarthritis Cartilage* 2018.[Epub ahead of print].
48. McAlindon T., Roberts M., Driban J., Schaefer L., Haugen I. K., Smith S. E., Duryea J., Cunha D., Blanco F., Fernandez-Garcia J. L., Eaton C. [Incident hand OA is strongly associated with reduced peripheral blood leukocyte telomere length](#). *Osteoarthritis Cartilage* 2018. [Epub ahead of print].
49. Mononen ME, Tanska P, Isaksson H, Korhonen RK. [New algorithm for simulation of proteoglycan loss and collagen degeneration in the knee joint: Data from the osteoarthritis initiative](#). *J Orthop Res* 2018;36:1673-83.
50. Neumann J., Hofmann F. C., Heilmeyer U., Ashmeik W., Tang K., Gersing A. S., Schwaiger B. J., Nevitt M. C., Joseph G. B., Lane N. E., McCulloch C. E., Link T. M. [Type 2 diabetes patients have accelerated cartilage matrix degeneration compared to diabetes free controls: Data from the osteoarthritis initiative](#). *Osteoarthritis Cartilage* 2018;26:751-61[PMCID:5962437].
51. Okada K., Yamaguchi S., Sato Y., Enomoto T., Ogawa Y., Ohtori S., Tahara M., Sasho T. [Comparison of meniscal extrusion and osteophyte formation at the intercondylar notch as a predictive biomarker for incidence of knee osteoarthritis-data from the osteoarthritis initiative](#). *J Orthop Sci* 2018. [Epub ahead of print].
52. Pazzinatto M. F., de Oliveira Silva D., Azevedo F. M., Pappas E. [Knee crepitus is not associated with the occurrence of total knee replacement in knee osteoarthritis - a longitudinal study with Data from the Osteoarthritis Initiative](#). *Braz J Phys Ther* 2018.[Epub ahead of print].
53. Pelletier JP, Raynauld JP, Abram F, Dorais M, Delorme P, Martel-Pelletier J. [Exploring determinants predicting response to intra-articular hyaluronic acid treatment in symptomatic knee osteoarthritis: 9-year follow-up Data from the Osteoarthritis Initiative](#). *Arthritis Res Ther* 2018;20:40.
54. Qin J, Barbour KE, Nevitt MC, Helmick CG, Hootman JM, Murphy LB, Cauley JA, Dunlop DD. [Objectively measured physical activity and risk of knee osteoarthritis](#). *Med Sci Sports Exerc* 2018;50:277-83.[PMCID:5768460].

55. Rathbun A. M., Shardell M. D., Stuart E. A., Yau M. S., Gallo J. J., Schuler M. S., Hochberg M. C. [Pain severity as a mediator of the association between depressive symptoms and physical performance in knee osteoarthritis](#). *Osteoarthritis Cartilage* 2018.[Epub ahead of print].
56. Rathbun AM, Stuart EA, Shardell M, Yau MS, Baumgarten M, Hochberg MC. [Dynamic effects of depressive symptoms on osteoarthritis knee pain](#). *Arthritis Care Res (Hoboken)* 2018;70:80-8.[PMCID:5607075].
57. Rego-Perez I., Blanco F. J., Roemer F. W., Guermazi A., Ran D., Ashbeck E. L., Fernandez-Moreno M., Oreiro N., Hannon M. J., Hunter D. J., Kwoh C. K. [Mitochondrial DNA haplogroups associated with MRI-detected structural damage in early knee osteoarthritis](#). *Osteoarthritis Cartilage* 2018. [Epub ahead of print].
58. Ratzlaff C., Ashbeck E. L., Guermazi A., Roemer F. W., Duryea J., Kwoh C. K. [A quantitative metric for knee osteoarthritis: Reference values of joint space loss](#). *Osteoarthritis Cartilage* 2018;26:1215-24[PMCID:6098736].
59. Riddle DL. [Prevalence and predictors of symptom resolution and functional restoration in the index knee following knee arthroplasty: A longitudinal study](#). *Arch Phys Med Rehabil* 2018;99:887-92.
60. Riddle DL, Golladay GJ. [Pre-operative risk factors for postoperative falls in persons with hip or knee arthroplasty: A longitudinal study of Data from the Osteoarthritis Initiative](#). *Arch Phys Med Rehabil* 2018;99:967-72[PMCID:5924583].
61. Roemer FW, Kwoh CK, Fujii T, Hannon MJ, Boudreau RM, Hunter DJ, Eckstein F, John MR, Guermazi A. [From early radiographic knee osteoarthritis to joint arthroplasty: Determinants of structural progression and symptoms](#). *Arthritis Care Res (Hoboken)* 2018. [Epub ahead of print].
62. Rongen JJ, Govers TM, Buma P, Rovers MM, Hannink G. [Arthroscopic meniscectomy for degenerative meniscal tears reduces knee pain but is not cost-effective in a routine health care setting: A multi-center longitudinal observational study using Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2018;26:184-94.
63. Roth M., Emmanuel K., Wirth W., Kwoh C. K., Hunter D. J., Eckstein F. [Sensitivity to change and association of three-dimensional meniscal measures with radiographic joint space width loss in rapid clinical progression of knee osteoarthritis](#). *Eur Radiol* 2018;28:1844-53.[PMCID:5882640].
64. Schaefer L. F., Nikac V., Lynch J. A., Duryea J. [Quantitative measurement of cartilage volume is possible using two-dimensional magnetic resonance imaging data sets](#). *Osteoarthritis Cartilage* 2018.[Epub ahead of print].
65. Schaefer LF, McAlindon TE, Eaton CB, Roberts MB, Haugen IK, Smith SE, Duryea J, Driban JB. [The associations between radiographic hand osteoarthritis definitions and hand pain: Data from the osteoarthritis initiative](#). *Rheumatol Int* 2018;38:403-13.[PMCID:5823747].
66. Shirinsky I., Shirinsky V. [H1-antihistamines are associated with lower prevalence of radiographic knee osteoarthritis: A cross-sectional analysis of the Osteoarthritis Initiative data](#). *Arthritis Res Ther* 2018;20:116.

67. Shmigel A, Onizuka N, Langsetmo L, Vo T, Foley R, Ensrud K, Valen P. [Low magnesium intake is associated with increased knee pain in subjects with radiographic knee osteoarthritis: Data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage* 2018. [Epub ahead of print].
68. Smith TO, Mansfield M, Dainty J, Hilton G, Mann CJV, Sackley CM. [Does physical activity change following hip and knee replacement? Matched case-control study evaluating physical activity scale for the elderly Data from the Osteoarthritis Initiative.](#) *Physiotherapy* 2018;104:80-90.
69. Song J., Dunlop D. D., Semanik P. A., Chang A. H., Lee Y. C., Gilbert A. L., Jackson R. D., Chang R. W., Lee J. [Reallocating time spent in sleep, sedentary behavior and physical activity and its association with pain: A pilot sleep study from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage* 2018. [Epub ahead of print].
70. Song J., Chang A. H., Chang R. W., Lee J., Pinto D., Hawker G., Nevitt M., Dunlop D. D. [Relationship of knee pain to time in moderate and light physical activities: Data from osteoarthritis initiative.](#) *Semin Arthritis Rheum* 2018;47:683-8.[PMCID:5866183].
71. Steidle-Kloc E., Rabe K., Eckstein F., Wirth W., Glass N. A., Segal N. A. [Is muscle strength in a painful limb affected by knee pain status of the contralateral limb? - Data from the osteoarthritis initiative.](#) *Ann Anat* 2018. [Epub ahead of print].
72. Steidle-Kloc E, Dannhauer T, Wirth W, Eckstein F. [Responsiveness of infrapatellar fat pad volume change to body weight loss or gain: Data from the Osteoarthritis Initiative.](#) *Cells Tissues Organs* 2018. [Epub ahead of print].
73. Stout AC, Barbe MF, Eaton CB, Amin M, Al-Eid F, Price LL, Lu B, Lo GH, Zhang M, Pang J, McAlindon TE, Driban JB. [Inflammation and glucose homeostasis are associated with specific structural features among adults without knee osteoarthritis: A cross-sectional study from the osteoarthritis initiative.](#) *BMC Musculoskelet Disord* 2018;19:1.
74. Su CA, Kusin DJ, Li SQ, Ahn UM, Ahn NU. [The association between body mass index and the prevalence, severity, and frequency of low back pain: Data from the Osteoarthritis Initiative.](#) *Spine (Phila Pa 1976)* 2018.[Epub ahead of print].
75. Schwaiger BJ, Mbapte Wamba J, Gersing AS, Nevitt MC, Facchetti L, McCulloch CE, Link TM. [Hyperintense signal alteration in the suprapatellar fat pad on MRI is associated with degeneration of the patellofemoral joint over 48 months: Data from the Osteoarthritis Initiative.](#) *Skeletal Radiol* 2018;47:329-39
76. Tack A., Mukhopadhyay A., Zachow S. [Knee menisci segmentation using convolutional neural networks: Data from the osteoarthritis initiative.](#) *Osteoarthritis Cartilage* 2018;26:680-8.[Epub ahead of print]
77. Thoma LM, Dunlop D, Song J, Lee J, Tudor-Locke C, Aguiar EJ, Master H, Christiansen MB, White DK. [Are older adults with symptomatic knee osteoarthritis less active than the general population?: Analysis from the Osteoarthritis Initiative and NHANES.](#) *Arthritis Care Res (Hoboken)* 2018.[Epub head of print].
78. Tiulpin A, Thevenot J, Rahtu E, Lehenkari P, Saarakkala S. [Automatic knee osteoarthritis diagnosis from plain radiographs: A deep learning-based approach.](#) *Sci Rep* 2018;8:1727.[PMCID:5789045].

79. Tomkins-Lane C., Norden J., Sinha A., Hu R., Smuck M. [Digital biomarkers of spine and musculoskeletal disease from accelerometers: Defining phenotypes of free-living physical activity in knee osteoarthritis and lumbar spinal stenosis](#). *Spine J* 2018. [Epub ahead of print].
80. Tormalehto S., Mononen M. E., Aarnio E., Arokoski J. P. A., Korhonen R. K., Martikainen J. [Health-related quality of life in relation to symptomatic and radiographic definitions of knee osteoarthritis: Data from Osteoarthritis Initiative \(OAI\) 4-year follow-up study](#). *Health Qual Life Outcomes* 2018;16:154.[PMCID:6069966].
81. Veronese N., Koyanagi A., Stubbs B., Cooper C., Guglielmi G., Rizzoli R., Schofield P., Punzi L., Al-Daghri N., Smith L., Maggi S., Reginster J. Y. [Statin use and knee osteoarthritis outcomes: A longitudinal cohort study](#). *Arthritis Care Res (Hoboken)* 2018. [Epub ahead of print].
82. Veronese N, Stubbs B, Koyanagi A, Hebert JR, Cooper C, Caruso MG, Guglielmi G, Reginster JY, Rizzoli R, Maggi S, Shivappa N. [Pro-inflammatory dietary pattern is associated with fractures in women: An eight-year longitudinal cohort study](#). *Osteoporos Int* 2018;29:143-51.[PMCID:5760322].
83. Veronese N., Koyanagi A., Stubbs B., Solmi M., Fornaro M., Fernandes B. S., Muller C., Thompson T., Carvalho A. F., Maggi S. [Aspirin and incident depressive symptoms: A longitudinal cohort study over 8 years](#). *Int J Geriatr Psychiatry* 2018;33:e193-e8.[PMCID:5773347].
84. Veronese N, Stubbs B, Solmi M, Smith TO, Reginster JY, Maggi S. [Osteoarthritis increases the risk of cardiovascular disease: Data from the Osteoarthritis Initiative](#). *J Nutr Health Aging* 2018;22:371-6.
85. Veronese N., La Tegola L., Crepaldi G., Maggi S., Rogoli D., Guglielmi G. [The association between the mediterranean diet and magnetic resonance parameters for knee osteoarthritis: Data from the osteoarthritis initiative](#). *Clin Rheumatol* 2018.[Epub ahead of print].
86. Veronese N., La Tegola L., Mattera M., Maggi S., Guglielmi G. [Vitamin D intake and magnetic resonance parameters for knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Calcif Tissue Int* 2018.[Epub ahead of print].
87. Veronese N, Stubbs B, Koyanagi A, Vaona A, Demurtas J, Schofield P, Thompson T, Maggi S. [Mitochondrial genetic haplogroups and incident obesity: A longitudinal cohort study](#). *Eur J Clin Nutr* 2018. [Epub ahead of print].
88. Vina ER, Ran D, Ashbeck EL, Kwok CK. [Natural history of pain and disability among African-Americans and Whites with or at risk for knee osteoarthritis: A longitudinal study](#). *Osteoarthritis Cartilage* 2018 ;26:471-9.[PMCID:5871565].
89. Wang K., Ding C., Hannon M. J., Chen Z., Kwok C. K., Lynch J., Hunter D. J. [Signal intensity alteration within infrapatellar fat pad predicts knee replacement within 5 years: Data from the osteoarthritis initiative](#). *Osteoarthritis Cartilage* 2018;26:1345-50.
90. Wang K., Ding C., Hannon M. J., Chen Z., Kwok C. K., Hunter D. J. [Quantitative signal intensity alteration in infrapatellar fat pad predict incident radiographic osteoarthritis: The osteoarthritis initiative](#). *Arthritis Care Res (Hoboken)* 2018.[Epub ahead of print].

91. Wang Y., Teichtahl A. J., Pelletier J. P., Abram F., Wluka A. E., Hussain S. M., Martel-Pelletier J., Cicuttini F. M. [Knee effusion volume assessed by magnetic resonance imaging and progression of knee osteoarthritis: Data from the osteoarthritis initiative.](#) *Rheumatology (Oxford)* 2018. [Epub ahead of print].
92. Wilson R, Blakely T, Abbott JH. [Radiographic knee osteoarthritis impacts multiple dimensions of health-related quality of life: Data from the Osteoarthritis Initiative.](#) *Rheumatology (Oxford)* 2018;57:891-9.
93. Wise B. L., Niu J., Zhang Y., Liu F., Pang J., Lynch J. A., Lane N. E. [Bone shape mediates the relationship between sex and incident knee osteoarthritis.](#) *BMC Musculoskelet Disord* 2018;19:331.[PMCID:6136224].

2017

94. Agarwal V, Smuck M, Shah NH. [Quantifying the relative change in physical activity after total knee arthroplasty using accelerometer based measurements.](#) *AMIA Jt Summits Transl Sci Proc* 2017;2017:463-72.[PMCID:5543365].
95. Antony B, Driban JB, Price LL, Lo GH, Ward RJ, Nevitt M, Lynch J, Eaton CB, Ding C, McAlindon TE. [The relationship between meniscal pathology and osteoarthritis depends on the type of meniscal damage visible on magnetic resonance images: data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage* 2017;25:76-84.[PMCID:5310282].
96. Ashinsky BG, Bouhrara M, Coletta CE, Lehallier B, Urish KL, Lin PC, Goldberg IG, Spencer RG. [Predicting early symptomatic osteoarthritis in the human knee using machine learning classification of magnetic resonance images from the Osteoarthritis Initiative.](#) *J Orthop Res* 2017;35:2243-50.
97. Bindawas SM, Vennu V, Stubbs B. [Longitudinal relationship between knee pain status and incident frailty: Data from the Osteoarthritis Initiative.](#) *Pain Med* 2017. [Epub ahead of print].
98. Burda B, Steidle-Kloc E, Dannhauer T, Wirth W, Ruhdorfer A, Eckstein F. [Variance in infrapatellar fat pad volume: Does the body mass index matter? Data from Osteoarthritis Initiative participants without symptoms or signs of knee disease.](#) *Ann Anat* 2017;213:19-24.
99. Culvenor AG, Felson DT, Niu J, Wirth W, Sattler M, Dannhauer T, Eckstein F. [Thigh muscle specific strength and the risk of incident knee osteoarthritis: The influence of sex and greater body mass index.](#) *Arthritis Care Res (Hoboken)* 2017; 69:1266-70.[PMCID:5532059].
100. Dai Z, Niu J, Zhang Y, Jacques P, Felson DT. [Dietary intake of fibre and risk of knee osteoarthritis in two US prospective cohorts.](#) *Ann Rheum Dis* 2017;76:1411-9.
101. Dai Z, Lu N, Niu J, Felson DT, Zhang Y. [Dietary intake of fiber in relation to knee pain trajectories.](#) *Arthritis Care Res (Hoboken)* 2017;69:1331-9.[PMCID:5447491].
102. Davis JE, Price LL, Lo GH, Eaton CB, McAlindon TE, Lu B, Barbe MF, Driban JB. [A single recent injury is a potent risk factor for the development of accelerated knee osteoarthritis: Data from the Osteoarthritis Initiative.](#) *Rheumatol Int* 2017; 37:1759-64.[PMCID:5693623].

103. Davis J, Eaton CB, Lo GH, Lu B, Price LL, McAlindon TE, Barbe MF, Driban JB. [Knee symptoms among adults at risk for accelerated knee osteoarthritis: Data from the osteoarthritis initiative](#). *Clin Rheumatol* 2017;36:1083-9. [PMCID:5401642].
104. Deveza LA, Kraus VB, Collins JE, Guermazi A, Roemer FW, Bowes M, Nevitt MC, Ladel C, Hunter DJ. [The association between biochemical markers of bone turnover and bone changes on imaging - Data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)* 2017;69:1179-91.[PMCID:5385286].
105. Drew BT, Bowes MA, Redmond AC, Dube B, Kingsbury SR, Conaghan PG. [Patellofemoral morphology is not related to pain using three-dimensional quantitative analysis in an older population: Data from the Osteoarthritis Initiative](#). *Rheumatology (Oxford)* 2017; 56:2135-44.
106. Driban JB, McAlindon TE, Amin M, Price LL, Eaton CB, Davis JE, Lu B, Lo GH, Duryea J, Barbe MF. [Risk factors can classify individuals who develop accelerated knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *J Orthop Res* 2017.[PMCID:5797506].
107. Driban JB, Eaton CB, Amin M, Stout AC, Price LL, Lu B, Lo GH, McAlindon TE, Barbe MF. [Glucose homeostasis influences the risk of incident knee osteoarthritis: Data from the osteoarthritis initiative](#). *J Orthop Res* 2017;35:2282-7.[PMCID:5529273].
108. Dunlop DD, Song J, Lee J, Gilbert AL, Semanik PA, Ehrlich-Jones L, Pellegrini CA, Pinto D, Ainsworth B, Chang RW. [Physical activity minimum threshold predicting improved function in adults with lower-extremity symptoms](#). *Arthritis Care Res (Hoboken)* 2017;69:475-83.[PMCID:5521176].
109. Eaton CB, Sayeed M, Ameernaz S, Roberts MB, Maynard JD, Driban JB, McAlindon TE. [Sex differences in the association of skin advanced glycation endproducts with knee osteoarthritis progression](#). *Arthritis Res Ther* 2017;19:36.[PMCID:5316210].
110. Felson DT, Niu J, Quinn EK, Neogi T, Lewis C, Lewis CE, Frey Law L, McCulloch C, Nevitt M, LaValley M. [Multiple nonspecific sites of joint pain outside the knees develop in persons with knee pain](#). *Arthritis Rheumatol* 2017;69:335-42.[PMCID:5292971].
111. Ferket BS, Feldman Z, Zhou J, Oei EH, Bierma-Zeinstra SMA, Mazumdar M. [Impact of total knee replacement practice: Cost effectiveness analysis of data from the Osteoarthritis Initiative](#). *BMJ* 2017;356.
112. Fernandes GS, Bhattacharya A, McWilliams DF, Ingham SL, Doherty M, Zhang W. [Risk prediction model for knee pain in the Nottingham community: A Bayesian modelling approach](#). *Arthritis Res Ther* 2017;19:59.[PMCID:5359844].
113. Fernandez-Moreno M, Soto-Hermida A, Vazquez-Mosquera ME, Cortes-Pereira E, Relano S, Hermida-Gomez T, Pertega S, Oreiro-Villar N, Fernandez-Lopez C, Garesse R, Blanco FJ, Rego-Perez I. [Mitochondrial DNA haplogroups influence the risk of incident knee osteoarthritis in OAI and CHECK cohorts. A meta-analysis and functional study](#). *Ann Rheum Dis* 2017;76:1114-22.
114. Fernandez-Moreno M, Soto-Hermida A, Vazquez-Mosquera ME, Cortes-Pereira E, Pertega S, Relano S, Oreiro-Villar N, Fernandez-Lopez C, Blanco FJ, Rego-Perez I. [A replication study and meta-analysis of mitochondrial DNA variants in the radiographic progression of knee osteoarthritis](#). *Rheumatology (Oxford)* 2017;56:263-70.

115. Gandhamal A, Talbar S, Gajre S, Razak R, Hani AFM, Kumar D. [Fully automated subchondral bone segmentation from knee MR images: Data from the Osteoarthritis Initiative](#). *Comput Biol Med* 2017;88:110-25.
116. Gersing AS, Schwaiger BJ, Nevitt MC, Joseph GB, Chanchek N, Guimaraes JB, Mbapte Wamba J, Facchetti L, McCulloch CE, Link TM. [Is weight loss associated with less progression of changes in knee articular cartilage among obese and overweight patients as assessed with MR imaging over 48 months? Data from the Osteoarthritis Initiative](#). *Radiology* 2017;284:508-20. [PMCID:5548450].
117. Gersing AS, Schwaiger BJ, Heilmeyer U, Joseph GB, Facchetti L, Kretzschmar M, Lynch JA, McCulloch CE, Nevitt MC, Steinbach LS, Link TM. [Evaluation of chondrocalcinosis and associated knee joint degeneration using MR imaging: Data from the Osteoarthritis Initiative](#). *Eur Radiol* 2017;27:2497-506.
118. Gill SV, Hicks GE, Zhang Y, Niu J, Apovian CM, White DK. [The association of waist circumference with walking difficulty among adults with or at risk of knee osteoarthritis: The Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2017;25:60-6.[PMCID:5182140].
119. Hafezi-Nejad N, Guermazi A, Roemer FW, Hunter DJ, Dam EB, Zikria B, Kwok CK, Demehri S. [Prediction of medial tibiofemoral compartment joint space loss progression using volumetric cartilage measurements: Data from the FNIH OA biomarkers consortium](#). *Eur Radiol* 2017;27:464-73.
120. Han B. K., Kim W., Niu J., Basnyat S., Barshay V., Gaughan J. P., Williams C., Kolasinski S. L., Felson D. T. [Association of chondrocalcinosis in knee joints with pain and synovitis: Data from the osteoarthritis initiative](#). *Arthritis Care Res (Hoboken)* 2017;69:1651-8. [PMCID:5529277].
121. Haugen IK, Magnusson K, Turkiewicz A, Englund M. [The prevalence, incidence, and progression of hand osteoarthritis in relation to body mass index, smoking, and alcohol consumption](#). *J Rheumatol* 2017;44:1402-9.
122. Herzog MM, Driban JB, Cattano NM, Cameron KL, Tourville TW, Marshall SW, Pietrosimone B. [Risk of knee osteoarthritis over 24 months in individuals who decrease walking speed during a 12-month period: Data from the Osteoarthritis Initiative](#). *J Rheumatol* 2017;44:1265-70.
123. Hipp JA, Chan EF. [Threshold limit graphical approach to understanding outcome predictive metrics: Data from the osteoarthritis initiative](#). *Cureus* 2017;9:e1447.[PMCID:5590768].
124. Hong-Seng G, Sayuti KA, Karim AH. [Investigation of random walks knee cartilage segmentation model using inter-observer reproducibility: Data from the Osteoarthritis Initiative](#). *Biomed Mater Eng* 2017;28:75-85.
125. Hung M, Bounsanga J, Voss MW, Gu Y, Crum AB, Tang P. [Dietary and supplemental vitamin C and D on symptom severity and physical function in knee osteoarthritis](#). *Journal of Nutrition in Gerontology and Geriatrics* 2017:1-13.
126. Janvier T, Jennane R, Toumi H, Lespessailles E. [Subchondral tibial bone texture predicts the incidence of radiographic knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2017;25:2047-54.

127. Janvier T, Jennane R, Valery A, Harrar K, Delplanque M, Lelong C, Loeuille D, Toumi H, Lespessailles E. [Subchondral tibial bone texture analysis predicts knee osteoarthritis progression: Data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage* 2017;25:259-66.
128. Jaremko JL, Azmat O, Lambert RG, Bird P, Haugen IK, Jans L, Weber U, Winn N, Zubler V, Maksymowych WP. [Validation of a knowledge transfer tool for the knee inflammation mri scoring system for bone marrow lesions according to the OMERACT filter: Data from the Osteoarthritis Initiative.](#) *J Rheumatol* 2017;44:1718-22.
129. Jaremko JL, Jeffery D, Buller M, Wichuk S, McDougall D, Lambert RG, Maksymowych WP. [Preliminary validation of the Knee Inflammation MRI Scoring System \(KIMRISS\) for grading bone marrow lesions in osteoarthritis of the knee: data from the Osteoarthritis Initiative.](#) *RMD Open* 2017;3:e000355.[PMCID:5255891].
130. Johnson VL, Guermazi A, Roemer FW, Hunter DJ. [Comparison in knee osteoarthritis joint damage patterns among individuals with an intact, complete and partial anterior cruciate ligament rupture.](#) *Int J Rheum Dis* 2017;20:1361-71.
131. Joseph GB, McCulloch CE, Nevitt MC, Gersing AS, Schwaiger BJ, Kretzschmar M, Heilmeier U, Link TM. [Medial femur t2 z-scores predict the probability of knee structural worsening over 4-8 years: Data from the osteoarthritis initiative.](#) *J Magn Reson Imaging* 2017;46:1128-36.[PMCID:5559349].
132. Kemnitz J, Wirth W, Eckstein F, Ruhdorfer A, Culvenor AG. [Longitudinal change in thigh muscle strength prior to and concurrent with symptomatic and radiographic knee osteoarthritis progression: Data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage* 2017; 25:1633-40.
133. Kraus VB, Collins JE, Hargrove D, Losina E, Nevitt M, Katz JN, Wang SX, Sandell LJ, Hoffmann SC, Hunter DJ. [Predictive validity of biochemical biomarkers in knee osteoarthritis: data from the FNIH OA Biomarkers Consortium.](#) *Ann Rheum Dis* 2017;76:186-95.
134. Kraus VB, Hargrove DE, Hunter DJ, Renner JB, Jordan JM. [Establishment of reference intervals for osteoarthritis-related soluble biomarkers: the FNIH/OARSI OA Biomarkers Consortium.](#) *Ann Rheum Dis* 2017;76:179-85.
135. Lapane KL, Liu SH, Dube CE, Driban JB, McAlindon TE, Eaton CB. [Factors associated with the use of hyaluronic acid and corticosteroid injections among patients with radiographically confirmed knee osteoarthritis: A retrospective data analysis.](#) *Clin Ther* 2017; 39:347-58.
136. LaValley MP, Lo GH, Price LL, Driban JB, Eaton CB, McAlindon TE. [Development of a clinical prediction algorithm for knee osteoarthritis structural progression in a cohort study: Value of adding measurement of subchondral bone density.](#) *Arthritis Res Ther* 2017;19:95.[PMCID:5433155].
137. Liukkonen MK, Mononen ME, Klets O, Arokoski JP, Saarakkala S, Korhonen RK. [Simulation of subject-specific progression of knee osteoarthritis and comparison to experimental follow-up Data: Data from the Osteoarthritis Initiative.](#) *Sci Rep* 2017;7:9177.
138. Liu SH, Dube CE, Driban JB, McAlindon TE, Eaton CB, Lapane KL. [Patterns of intra-articular injection use after initiation of treatment in patients with knee osteoarthritis: Data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage* 2017;25:1607-14.[PMCID:5605414].

139. Liu Y, Yau MS, Yerges-Armstrong LM, Duggan DJ, Renner JB, Hochberg MC, Mitchell BD, Jackson RD, Jordan JM. [Genetic determinants of radiographic knee osteoarthritis in African Americans](#). *J Rheumatol* 2017; 44:1652-8.[PMCID:5668168].
140. Lo GH, McAlindon TE, Katz JN, Driban JB, Price LL, Eaton CB, Petersen NJ, Ballantyne CM, Suarez-Almazor ME. [Systolic and pulse pressure associate with incident knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Clin Rheumatol* 2017;36:2121-8.[PMCID:5709188].
141. Lo GH, Driban JB, Kriska AM, McAlindon TE, Souza RB, Petersen NJ, Storti KL, Eaton CB, Hochberg MC, Jackson RD, Kent Kwoh C, Nevitt MC, Suarez-Almazor ME. [Is there an association between a history of running and symptomatic knee osteoarthritis? A cross-sectional study from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)* 2017;69:183-91.[PMCID:5179322].
142. Lo-Ciganic WH, Floden LL, Lee JK, Ashbeck EL, Zhou L, Chinthammit C, Purdy AW, Kwoh CK. [Analgesic use and risk of recurrent falls in participants with or at risk of knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2017;25:1390-8.
143. Lu B, Driban JB, Xu C, Lapane KL, McAlindon TE, Eaton CB. [Dietary fat intake and radiographic progression of knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)* 2017;69:368-75.[PMCID:5140767].
144. Master H, Thoma LM, Christiansen MB, Polakowski E, Schmitt LA, White DK. [Minimum performance on clinical tests of physical function to predict walking 6000 steps/day in knee osteoarthritis: An observational study](#). *Arthritis Care Res (Hoboken)* 2017.[PMCID:5904009].
145. Moyer R, Wirth W, Eckstein F. [Longitudinal changes in magnetic resonance imaging-based measures of femorotibial cartilage thickness as a function of alignment and obesity Data from the OAI](#). *Arthritis Care Res (Hoboken)* 2017;69:959-65.[PMCID:5585678].
146. Paterson KL, Kasza J, Hunter DJ, Hinman RS, Menz HB, Peat G, Bennell KL. [Longitudinal association between foot and ankle symptoms and worsening of symptomatic radiographic knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2017;25:1407-13.[PMCID:5565691].
147. Paterson KL, Kasza J, Hunter DJ, Hinman RS, Menz HB, Peat G, Bennell KL. [The relationship between foot and ankle symptoms and risk of developing knee osteoarthritis: data from the osteoarthritis initiative](#). *Osteoarthritis Cartilage* 2017;25:639-46.[PMCID:5403611].
148. Pellegrini CA, Song J, Semanik PA, Chang RW, Lee J, Gilbert AL, Pinto D, Ehrlich-Jones L, Dunlop DD. [Patients less likely to lose weight following a knee replacement: Results from the Osteoarthritis Initiative](#). *J Clin Rheumatol* 2017;23:355-60.[PMCID:5683392].
149. Pinto D, Song J, Lee J, Chang RW, Semanik PA, Ehrlich-Jones LS, Pellegrini CA, Dunlop DD. [The association between sedentary time and quality of life from the Osteoarthritis Initiative: Who might benefit most from treatment?](#) *Arch Phys Med Rehabil* 2017;98:2485-90.
150. Rathbun AM, Yau MS, Shardell M, Stuart EA, Hochberg MC. [Depressive symptoms and structural disease progression in knee osteoarthritis: data from the Osteoarthritis Initiative](#). *Clin Rheumatol* 2017;36:155-63.[PMCID:5488696].

151. Riddle DL, Golladay GJ, Jiranek WA, Perera RA. [External validation of a prognostic model for predicting nonresponse following knee arthroplasty](#). *J Arthroplasty* 2017;32:1153-8.e1.[PMCID:5362316].
152. Riddle DL, Golladay GJ, Hayes A, Ghomrawi HM. [Poor expectations of knee replacement benefit are associated with modifiable psychological factors and influence the decision to have surgery: A cross-sectional and longitudinal study of a community-based sample](#). *Knee* 2017;24:354-61.[PMCID:5359031].
153. Rodriguez-Vila B, Sanchez-Gonzalez P, Oropesa I, Gomez EJ, Pierce DM. [Automated hexahedral meshing of knee cartilage structures - application to Data from the Osteoarthritis Initiative](#). *Comput Methods Biomech Biomed Engin* 2017:1-11.
154. Roemer FW, Kwok CK, Hannon MJ, Hunter DJ, Eckstein F, Grago J, Boudreau RM, Englund M, Guermazi A. [Partial meniscectomy is associated with increased risk of incident radiographic osteoarthritis and worsening cartilage damage in the following year](#). *Eur Radiol* 2017;27:404-13.[PMCID:5083232].
155. Rongen JJ, Rovers MM, van Tienen TG, Buma P, Hannink G. [Increased risk for knee replacement surgery after arthroscopic surgery for degenerative meniscal tears: a multi-center longitudinal observational study using data from the osteoarthritis initiative](#). *Osteoarthritis Cartilage* 2017;25:23-9.
156. Roth M, Wirth W, Emmanuel K, Culvenor AG, Eckstein F. [The contribution of 3D quantitative meniscal and cartilage measures to variation in normal radiographic joint space width-Data from the Osteoarthritis Initiative healthy reference cohort](#). *Eur J Radiol* 2017;87:90-8.[PMCID:5278117].
157. Ruhdorfer A, Wirth W, Eckstein F. [Association of knee pain with a reduction in thigh muscle strength - a cross-sectional analysis including 4553 osteoarthritis initiative participants](#). *Osteoarthritis Cartilage* 2017;25:658-66.[PMCID:5403554].
158. Ruhdorfer A, Haniel F, Petersohn T, Dorrenberg J, Wirth W, Dannhauer T, Hunter DJ, Eckstein F. [Between-group differences in infra-patellar fat pad size and signal in symptomatic and radiographic progression of knee osteoarthritis vs non-progressive controls and healthy knees - data from the fnih biomarkers consortium study and the osteoarthritis initiative](#). *Osteoarthritis Cartilage* 2017;25:1114-21.[PMCID:5466837].
159. Schadler P, Kasparek M, Boettner F, Sgroi M, Faschingbauer M. [Coronal tibiofemoral subluxation is not an independent risk factor for total knee arthroplasty in patients with moderate to severe varus-osteoarthritis: Data from the "Osteoarthritis Initiative"](#). *Arch Orthop Trauma Surg* .2017;137:1423-8.
160. Schaefer LF, Sury M, Yin M, Jamieson S, Donnell I, Smith SE, Lynch JA, Nevitt MC, Duryea J. [Quantitative measurement of medial femoral knee cartilage volume - analysis of the oa biomarkers consortium FNIH study cohort](#). *Osteoarthritis Cartilage* 2017;25:1107-13. [PMCID:546831].
161. Schilling C, Petrie D, Dowsey MM, Choong PF, Clarke P. [The impact of regression to the mean on economic evaluation in quasi-experimental pre-post studies: The example of total knee replacement using data from the osteoarthritis initiative](#). *Health Econ* 2017;26:e35-e51.

162. Sharma L, Chang AH, Jackson RD, Nevitt M, Moisiu KC, Hochberg M, Eaton C, Kwok CK, Almagor O, Cauley J, Chmiel JS. [Varus thrust and incident and progressive knee osteoarthritis](#). *Arthritis Rheumatol* 2017;69:2136-43.[PMCID:5659924].
163. Sharma L, Hochberg M, Nevitt M, Guermazi A, Roemer F, Crema MD, Eaton C, Jackson R, Kwok K, Cauley J, Almagor O, Chmiel JS. [Knee tissue lesions and prediction of incident knee osteoarthritis over 7 years in a cohort of persons at higher risk](#). *Osteoarthritis Cartilage* 2017;25:1068-75.[PMCID:5466844].
164. Shea M. K., Loeser R. F., McAlindon T. E., Houston D. K., Kritchevsky S. B., Booth S. L. [Association of vitamin k status combined with vitamin d status and lower-extremity function: A prospective analysis of two knee osteoarthritis cohorts](#). *Arthritis Care Res (Hoboken)* 2017.[PMCID].
165. Shirinsky IV, Shirinsky VS. [Effects of medication-treated diabetes on incidence and progression of knee osteoarthritis: A longitudinal analysis of the Osteoarthritis Initiative data](#). *Rheumatol Int* 2017;37:983-91.[PMCID:5587503]
166. Shivappa N, Stubbs B, Hebert JR, Cesari M, Schofield P, Soysal P, Maggi S, Veronese N. [The relationship between the dietary inflammatory index and incident frailty: A longitudinal cohort study](#). *J Am Med Dir Assoc* 2018;19:77-82.[PMCID:5756582].
167. Song J, Gilbert AL, Chang RW, Pellegrini CA, Ehrlich-Jones LS, Lee J, Pinto D, Semanik PA, Sharma L, Kwok CK, Jackson RD, Dunlop DD. [Do inactive older adults who increase physical activity experience less disability: Evidence from the Osteoarthritis Initiative](#). *J Clin Rheumatol* 2017;23:26-32.[PMCID:5180208].
168. Steidle-Kloc E, Culvenor AG, Dorrenberg J, Wirth W, Ruhdorfer A, Eckstein F. [Relationship between knee pain and infra-patellar fat pad morphology - a within- and between-person analysis from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)* 2017.[Epub ahead of print].
169. Teichtahl AJ, Cicuttini FM, Abram F, Wang Y, Pelletier JP, Dodin P, Martel-Pelletier J. [Meniscal extrusion and bone marrow lesions are associated with incident and progressive knee osteoarthritis](#). *Osteoarthritis Cartilage* 2017;25:1076-83
170. Tummala S, Schiphof D, Byrjalsen I, Dam EB. [Gender differences in knee joint congruity quantified from MRI: A validation study with data from center for clinical and basic research and Osteoarthritis Initiative](#). *Cartilage* 2018;9:38-45.[PMCID:5724673].
171. van der Woude JAD, Wiegant K, van Roermund PM, Intema F, Custers RJH, Eckstein F, van Laar JM, Mastbergen SC, Lafeber F. [Five-year follow-up of knee joint distraction: Clinical benefit and cartilaginous tissue repair in an open uncontrolled prospective study](#). *Cartilage* 2017;8:263-71.[PMCID:5625862].
172. Veronese N, Stubbs B, Noale M, Solmi M, Rizzoli R, Vaona A, Demurtas J, Crepaldi G, Maggi S. [Adherence to a Mediterranean diet is associated with lower incidence of frailty: A longitudinal cohort study](#). *Clin Nutr* 2017.[PMCID:5835189]. [Epub ahead of print].
173. Veronese N., Stubbs B., Noale M., Solmi M., Pilotto A., Vaona A., Demurtas J., Mueller C., Huntley J., Crepaldi G., Maggi S. [Polypharmacy is associated with higher frailty risk in older people: An 8-year longitudinal cohort study](#). *J Am Med Dir Assoc* 2017;18:624-8.[PMCID:5484754].

174. Veronese N, Stubbs B, Solmi M, Noale M, Vaona A, Demurtas J, Maggi S. [Dietary magnesium intake and fracture risk: Data from a large prospective study](#). *Br J Nutr* 2017;11-7:1570-6.[PMCID:5753403].
175. Veronese N, Shivappa N, Stubbs B, Smith T, Hebert JR, Cooper C, Guglielmi G, Reginster JY, Rizzoli R, Maggi S. [The relationship between the dietary inflammatory index and prevalence of radiographic symptomatic osteoarthritis: Data from the Osteoarthritis Initiative](#). *European Journal of Nutrition* 2017.[PMCID:5915290].
176. Veronese N, Stubbs B, Maggi S, Notarnicola M, Barbagallo M, Firth J, Dominguez LJ, Caruso MG. [Dietary magnesium and incident frailty in older people at risk for knee osteoarthritis: An eight-year longitudinal study](#). *Nutrients* 2017;9.[PMCID:5707725].
177. Veronese N, Stubbs B, Solmi M, Smith TO, Noale M, Cooper C, Maggi S. [Association between lower limb osteoarthritis and incidence of depressive symptoms: data from the osteoarthritis initiative](#). *Age Ageing* 2017;46:470-6.
178. Veronese N, Stubbs B, Noale M, Solmi M, Vaona A, Demurtas J, Nicetto D, Crepaldi G, Schofield P, Koyanagi A, Maggi S, Fontana L. [Fried potato consumption is associated with elevated mortality: An 8-y longitudinal cohort study](#). *Am J Clin Nutr* 2017;106:162-7. [PMCID:5486204].
179. Veronese N, Stubbs B, Solmi M, Vaona A, Demurtas J, Carvalho AF, Koyanagi A, Thompson T, Zoratti M, Maggi S. [Mitochondrial genetic haplogroups and depressive symptoms: A large study among people in North America](#). *J Affect Disord* 2017;217:55-9.[PMCID:5482362].
180. Vina ER, Ran D, Ashbeck EL, Kaur M, Kwoh CK. [Relationship between knee pain and patient preferences for joint replacement: Healthcare access matters](#). *Arthritis Care Res (Hoboken)* 2017;69:95-103.[PMCID:5525549].
181. von Tycowicz C, Ambellan F, Mukhopadhyay A, Zachow S. [An efficient Riemannian statistical shape model using differential coordinates: With application to the classification of Data from the Osteoarthritis Initiative](#). *Med Image Anal* 2017;43:1-9.
182. White D. K., Lee J., Song J., Chang R. W., Dunlop D. [Potential functional benefit from light intensity physical activity in knee osteoarthritis](#). *Am J Prev Med* 2017;53:689-96.[PMCID:5650918].
183. White DK, Neogi T, Zhang Y, Niu J, Katz PP. [The association of slow gait speed with trajectories of worsening depressive symptoms in knee osteoarthritis: An observational study](#). *Arthritis Care Res (Hoboken)* 2017;69:209-15.[PMCID:5480310].
184. Wirth W, Hunter DJ, Nevitt MC, Sharma L, Kwoh CK, Ladel C, Eckstein F. [Predictive and concurrent validity of cartilage thickness change as a marker of knee osteoarthritis progression: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2017;25:2663-71.[PMCID:5688009].
185. Wirth W, Maschek S, Beringer P, Eckstein F. [Subregional laminar cartilage MR spin-spin relaxation times \(t2\) in osteoarthritic knees with and without medial femorotibial cartilage loss - Data from the Osteoarthritis Initiative \(OAI\)](#). *Osteoarthritis Cartilage* 2017;25:1313-23.[PMCID:5522340].

186. Wirth W, Maschek S, Eckstein F. [Sex- and age-dependence of region- and layer-specific knee cartilage composition \(spin-spin-relaxation time\) in healthy reference subjects.](#) *Ann Anat* 2017;210:1-8.[PMCID:5318246].
187. Wise BL, Niu J, Guermazi A, Liu F, Heilmeier U, Ku E, Lynch JA, Zhang Y, Felson DT, Kwok CK, Lane NE. [Magnetic resonance imaging lesions are more severe and cartilage T2 relaxation time measurements are higher in isolated lateral compartment radiographic knee osteoarthritis than in isolated medial compartment disease - data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage* 2017;25:85-93.[PMCID:5182174].
188. Yau MS, Yerges-Armstrong LM, Liu Y, Lewis CE, Duggan DJ, Renner JB, Torner J, Felson DT, McCulloch CE, Kwok CK, Nevitt MC, Hochberg MC, Mitchell BD, Jordan JM, Jackson RD. [Genome-wide association study of radiographic knee osteoarthritis in North American Caucasians.](#) *Arthritis Rheumatol* 2017;69:343-51.[PMCID:5274579].
189. Zikria B, Hafezi-Nejad N, Roemer FW, Guermazi A, Demehri S. [Meniscal surgery: Risk of radiographic joints space narrowing progression and subsequent knee replacement-Data from the Osteoarthritis Initiative.](#) *Radiology* 2017;282:807-16.

2016

190. Ahn C, Bui TD, Lee YW, Shin J, Park H. [Fully automated, level set-based segmentation for knee MRIs using an adaptive force function and template: Data from the Osteoarthritis Initiative.](#) *Biomedical engineering online* 2016;15:99.[PMCID:4997678].
191. Atukorala I, Kwok CK, Guermazi A, Roemer FW, Boudreau RM, Hannon MJ, Hunter DJ. [Synovitis in knee osteoarthritis: A precursor of disease?](#) *Ann Rheum Dis.* 2016;75:390-5.[PMCID:4916836].
192. Barr AJ, Dube B, Hensor EM, Kingsbury SR, Peat G, Bowes MA, Sharples LD, Conaghan PG. [The relationship between three-dimensional knee MRI bone shape and total knee replacement-a case control study: data from the Osteoarthritis Initiative.](#) *Rheumatology (Oxford)* 2016;55:1585-93.[PMCID:4993955].
193. Bindawas SM. [Relationship between frequent knee pain, obesity, and gait speed in older adults: Data from the Osteoarthritis Initiative.](#) *Clin Interv Aging* 2016;11:237-44.[PMCID:4772994].
194. Bowes MA, McLure SW, Wolstenholme CB, Vincent GR, Williams S, Grainger A, Conaghan PG. [Osteoarthritic bone marrow lesions almost exclusively collocate with denuded cartilage: a 3D study using data from the Osteoarthritis Initiative.](#) *Ann Rheum Dis* 2016;75:1852-7.
195. Collins JE, Losina E, Nevitt MC, Roemer FW, Guermazi A, Lynch JA, Katz JN, Kwok CK, Kraus VB, Hunter DJ. [Semi-quantitative imaging biomarkers of knee osteoarthritis progression: Data from the FNIH OA Biomarkers Consortium.](#) *Arthritis Rheumatol* 2016;68:2422-31.
196. Collins JE, Deshpande BR, Katz JN, Losina E. [Race and sex specific incidence rates and predictors of total knee arthroplasty: Seven year cumulative Data from the Osteoarthritis Initiative.](#) *Arthritis Care Res (Hoboken)* 2016;68:965-73.[PMCID:4862940].

197. Culvenor A, Wirth W, Ruhdorfer A, Eckstein F. [Thigh muscle strength predicts knee replacement risk independent of radiographic disease and pain in women - data from the Osteoarthritis Initiative](#). *Arthritis Rheumatol* 2016;68:1145-55.[PMCID:5494847].
198. Culvenor AG, Wirth W, Roth M, Hunter DJ, Eckstein F. [Predictive capacity of thigh muscle strength in symptomatic and/or radiographic knee osteoarthritis progression: Data from the Foundation for the National Institutes of Health Osteoarthritis Biomarkers Consortium](#). *Am J Phys Med Rehabil* 2016;95:931-8.[PMCID:5107162].
199. Davison MJ, Ioannidis G, Maly MR, Adachi JD, Beattie KA. [Intermittent and constant pain and physical function or performance in men and women with knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Clin Rheumatol*. 2016;35:371-9.[PMCID:4630161].
200. Driban JB, Lo GH, Eaton CB, Lapane KL, Nevitt M, Harvey WF, McCulloch CE, McAlindon TE. [Exploratory analysis of osteoarthritis progression among medication users: Data from the osteoarthritis initiative](#). *Therapeutic advances in musculoskeletal disease* 2016;8:207-19.[PMCID:5322858].
201. Driban JB, Stout AC, Lo GH, Eaton CB, Price LL, Lu B, Barbe MF, McAlindon TE. [Best performing definition of accelerated knee osteoarthritis: data from the Osteoarthritis Initiative](#). *Therapeutic advances in musculoskeletal disease* 2016;8:165-71.[PMCID:5037496].
202. Driban JB, Price LL, Lynch J, Nevitt M, Lo GH, Eaton CB, McAlindon TE. [Defining and evaluating a novel outcome measure representing end-stage knee osteoarthritis: data from the Osteoarthritis Initiative](#). *Clin Rheumatol* 2016;35:2523-30.[PMCID:5033669].
203. Driban JB, Price LL, Eaton CB, Lu B, Lo GH, Lapane KL, McAlindon TE. [Individuals with incident accelerated knee osteoarthritis have greater pain than those with common knee osteoarthritis progression: Data from the Osteoarthritis Initiative](#). *Clin Rheumatol* 2016;35:1565-71.[PMCID:4870108].
204. Driban JB, Eaton CB, Lo GH, Price LL, Lu B, Barbe MF, McAlindon TE. [Overweight older adults, particularly after an injury, are at high risk for accelerated knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Clin Rheumatol* 2016;35:1071-6.[PMCID:4811718].
205. Driban JB, Stout AC, Duryea J, Lo GH, Harvey WF, Price LL, Ward RJ, Eaton CB, Barbe MF, Lu B, McAlindon TE. [Coronal tibial slope is associated with accelerated knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *BMC Musculoskelet Disord* 2016;17:299.[PMCID:4950083].
206. Dube CE, Liu SH, Driban JB, McAlindon TE, Eaton CB, Lapane KL. [The relationship between smoking and knee osteoarthritis in the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2016;24:465-72.[PMCID:4761327].
207. Eckstein F, Boudreau R, Wang Z, Hannon MJ, Duryea J, Wirth W, Cotofana S, Guermazi A, Roemer F, Nevitt M, John MR, Ladel C, Sharma L, Hunter DJ, Kwok CK, Investigators OAI. [Comparison of radiographic joint space width and magnetic resonance imaging for prediction of knee replacement: A longitudinal case-control study from the Osteoarthritis Initiative](#). *Eur Radiol* 2016;26:1942-51.[PMCID:4794411].
208. Emmanuel K, Quinn E, Niu J, Guermazi A, Roemer F, Wirth W, Eckstein F, Felson D. [Quantitative measures of meniscus extrusion predict incident radiographic knee osteoarthritis](#)

[- Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2016;24:262-9.[PMCID:5476294].

209. Farrokhi S, Chen YF, Piva SR, Fitzgerald GK, Jeong JH, Kwok CK. [The influence of knee pain location on symptoms, functional status and knee-related quality of life in older adults with chronic knee pain: Data from the Osteoarthritis Initiative](#). *Clin J Pain* 2016;32:463-70. [PMCID:4766069].
210. Faschingbauer M, Kasperek M, Schadler P, Trubrich A, Urlaub S, Boettner F. [Predictive values of WOMAC, KOOS, and SF-12 score for knee arthroplasty: data from the OAI](#). *Knee Surg Sports Traumatol Arthrosc* 2016.[Epub ahead of print].
211. Gersing AS, Solka M, Joseph GB, Schwaiger BJ, Heilmeier U, Feuerriegel G, Nevitt MC, McCulloch CE, Link TM. [Progression of cartilage degeneration and clinical symptoms in obese and overweight individuals is dependent on the amount of weight loss: 48-month data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2016;24:1126-34.[PMCID:4907808].
212. Goldman LH, Tang K, Facchetti L, Heilmeier U, Joseph GB, Nevitt MC, McCulloch CE, Souza RB, Link TM. [Role of thigh muscle cross-sectional area and strength in progression of knee cartilage degeneration over 48 months - Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2016;24:2082-91.
213. Hafezi-Nejad N, Guerhazi A, Roemer FW, Eng J, Zikria B, Demehri S. [Long term use of analgesics and risk of osteoarthritis progressions and knee replacement: propensity score matched cohort analysis of data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2016;24:597-604.
214. Hudelmaier M, Wirth W. [Differences In subchondral bone size after one year In osteoarthritic and healthy knees](#). *Osteoarthritis Cartilage* 2016;24:623-30.
215. Hunter D, Nevitt M, Lynch J, Kraus VB, Katz JN, Collins JE, Bowes M, Guerhazi A, Roemer FW, Losina E. [Longitudinal validation of periarticular bone area and 3D shape as biomarkers for knee OA progression? Data from the FNIH OA Biomarkers Consortium](#). *Ann Rheum Dis* 2016;75:1607-14.
216. Joseph GB, Hou SW, Nardo L, Heilmeier U, Nevitt MC, McCulloch CE, Link TM. [MRI findings associated with development of incident knee pain over 48 months: Data from the Osteoarthritis Initiative](#). *Skeletal Radiol* 2016;45:653-60.[PMCID:4815898].
217. Joseph GB, Hilton JF, Jungmann PM, Lynch JA, Lane NE, Liu F, McCulloch CE, Tolstykh I, Link TM, Nevitt MC. [Do persons with asymmetric hip pain or radiographic hip OA have worse pain and structure outcomes in the knee opposite the more affected hip? Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2016;24:427-35.[PMCID:4761312].
218. Jungmann PM, Baum T, Nevitt MC, Nardo L, Gersing AS, Lane NE, McCulloch CE, Rummy EJ, Link TM. [Degeneration in ACL Injured Knees with and without Reconstruction in Relation to Muscle Size and Fat Content-Data from the Osteoarthritis Initiative](#). *PLoS One* 2016;11:e0166865.[PMCID:5137877].
219. Kabisa S, Dunson DB, Morris JS. [Online variational bayes inference for high-dimensional correlated data](#). *Journal of Computational and Graphical Statistics*. 2016;25:426-44.

220. Kahn TL, Snir N, Schwarzkopf R. [Does body mass index decrease over time among patients who undergo total knee arthroplasty compared to patients with osteoarthritis? Data From the Osteoarthritis Initiative.](#) *J Arthroplasty* 2016;31:971-5.
221. Kahn TL, Schwarzkopf R. [Do total knee arthroplasty patients have a higher activity level compared to patients with osteoarthritis? Geriatr Orthop Surg Rehabil](#) 2016;7:142-7.[PMCID:4976738].
222. Kashyap S, Oguz I, Zhang H, Sonka M. [Automated segmentation of knee MRI using hierarchical classifiers and just enough interaction based learning: Data from Osteoarthritis Initiative.](#) *Med Image Comput Comput Assist Interv* 2016;9901:344-51.[PMCID:5471813].
223. Kittelson AJ, Stevens-Lapsley JE, Schmiege SJ. [Determination of pain phenotypes in knee osteoarthritis: A latent class analysis using Data from the Osteoarthritis Initiative study.](#) *Arthritis Care Res (Hoboken)* 2016;68:612-20.[PMCID:5388442].
224. Klein JS, Jose J, Baraga MG, Subhawong TK. [Baseline cartilage thickness and meniscus extrusion predict longitudinal cartilage loss by quantitative magnetic resonance imaging: Data From the Osteoarthritis Initiative.](#) *J Comput Assist Tomogr* 2016;40:979-84.[PMCID:5110362].
225. Klets O, Mononen ME, Tanska P, Nieminen MT, Korhonen RK, Saarakkala S. [Comparison of different material models of articular cartilage in 3D computational modeling of the knee: Data from the Osteoarthritis Initiative \(OAI\).](#) *J Biomech* 2016;49:3891-900.
226. Kretschmar M, Heilmeier UR, Yu A, Joseph GB, Liu F, Solka M, McCulloch CE, Nevitt MC, Link TM. [Longitudinal analysis of cartilage T2 relaxation times and joint degeneration in African American and Caucasian American women over an observation period of 6 years - data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage* 2016;24:1384-91.[PMCID:4955659].
227. Kumm J, Roemer FW, Guermazi A, Turkiewicz A, Englund M. [Natural history of intrameniscal signal intensity on knee MR images: Six years of Data from the Osteoarthritis Initiative.](#) *Radiology* 2016;278:164-71.[PMCID:4699496].
228. Kwee RM, Wirth W, Hafezi-Nejad N, Zikria BA, Guermazi A, Demehri S. [Role of physical activity in cartilage damage progression of subjects with baseline full thickness cartilage defects in medial tibiofemoral compartment: Data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage* 2016;24:1898-904.
229. Laslett LL, Otahal P, Hensor EM, Kingsbury SR, Conaghan PG. [Knee pain predicts subsequent shoulder pain and the association is mediated by leg weakness: Longitudinal observational Data from the Osteoarthritis Initiative.](#) *J Rheumatol* 2016;43:2049-55.
230. Liu SH, Driban JB, Eaton CB, McAlindon TE, Harrold LR, Lapane KL. [Objectively measured physical activity and symptoms change in knee osteoarthritis.](#) *Am J Med* 2016;129:497-505.e1.
231. Mononen ME, Tanska P, Isaksson H, Korhonen RK. [A novel method to simulate the progression of collagen degeneration of cartilage in the knee: Data from the Osteoarthritis Initiative.](#) *Sci Rep* 2016;6:21415.[PMCID:4764929].

232. Moyer R, Wirth W, Duryea J, Eckstein F. [Anatomical alignment, but not goniometry, predicts femorotibial cartilage loss as well as mechanical alignment: data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2016;24:254-261.
233. Oiestad BE, White DK, Booton R, Niu J, Zhang Y, Torner J, Lewis B, Nevitt M, LaValley M, Felson DT. [The longitudinal course of physical function in people with symptomatic knee osteoarthritis: Data from the MOST study and the OAI](#). *Arthritis Care Res (Hoboken)* 2016;68:325-31.[PMCID:4879777].
234. Ozturk CN, Albayrak S. [Automatic segmentation of cartilage in high-field magnetic resonance images of the knee joint with an improved voxel-classification-driven region-growing algorithm using vicinity-correlated subsampling](#). *Comput Biol Med* 2016;72:90-107.
235. Pellegrini CA, Song J, Chang R, Semanik PA, Lee J, Ehrlich-Jones L, Pinto D, Dunlop D. [Change in physical activity and sedentary time associated with 2-year weight loss in obese adults with osteoarthritis](#). *J Phys Act Health* 2016;13:461-6.
236. Raynauld JP, Pelletier JP, Abram F, Delorme P, Martel-Pelletier J. [Long-term effects of glucosamine/chondroitin sulfate on the progression of structural changes in knee osteoarthritis: 6-year follow-up Data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)* 2016;68:1560-6.
237. Riddle DL, Stratford PW, Perera RA. [The incident tibiofemoral osteoarthritis with rapid progression phenotype: Development and validation of a prognostic prediction rule](#). *Osteoarthritis Cartilage* 2016;24:2100-7.[PMCID:5107340].
238. Riddle DL, Golladay JG. [A longitudinal comparative study of falls in persons with knee arthroplasty and persons with or at high risk for knee osteoarthritis](#). *Age Ageing* 2016;45:794-800.
239. Roemer FW, Guermazi A, Collins JE, Losina E, Nevitt MC, Lynch JA, Katz JN, Kwok CK, Kraus VB, Hunter DJ. [Semi-quantitative MRI biomarkers of knee osteoarthritis progression in the FNIH biomarkers consortium cohort - Methodologic aspects and definition of change](#). *BMC Musculoskelet Disord* 2016;17:466.[PMCID:5105263].
240. Roze RH, Bierma-Zeinstra SM, Agricola R, Oei EH, Waarsing JH. [Differences in MRI features between two different osteoarthritis subpopulations: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2016;24:822-6.
241. Ruhdorfer A, Wirth W, Eckstein F. [Longitudinal change in thigh muscle strength prior and concurrent to a minimal clinically important worsening or improvement in knee function - Data from the Osteoarthritis Initiative](#). *Arthritis Rheumatol* 2016;68:826-36.
242. Schwaiger BJ, Gersing AS, Mbapte Wamba J, Nevitt MC, McCulloch CE, Link TM. [Can signal abnormalities detected with MR imaging in knee articular cartilage be used to predict development of morphologic cartilage defects? 48-month Data from the Osteoarthritis Initiative](#). *Radiology* 2016;281:158-67.[PMCID:5047141].
243. Sharma L, Nevitt M, Hochberg M, Guermazi A, Roemer FW, Crema M, Eaton C, Jackson R, Kwok K, Cauley J, Almagor O, Chmiel JS. [Clinical significance of worsening versus stable preradiographic MRI lesions in a cohort study of persons at higher risk for knee osteoarthritis](#). *Ann Rheum Dis* 2016;75:1630-6.[PMCID:4833701].

244. Smith TO, Pearson M, Latham SK. [Are people following hip and knee arthroplasty at greater risk of experiencing a fall and fracture? Data from the Osteoarthritis Initiative.](#) *Arch Orthop Trauma Surg* 2016;136:865-72.
245. Smith TO, Penny F, Fleetcroft R. [Smoking and alcohol behaviours in people following hip and knee arthroplasty: Data from the Osteoarthritis Initiative.](#) *Orthop Traumatol Surg Res* 2016;102:239-45.
246. Smith TO, Higson E, Pearson M, Mansfield M. [Is there an increased risk of falls and fractures in people with early diagnosed hip and knee osteoarthritis? Data from the Osteoarthritis Initiative.](#) *Int J Rheum Dis* 2016.[Epub ahead of print].
247. Smith T.O., Penny F, Fleetcroft R. [Medical morbidities in people following hip and knee arthroplasty: data from the Osteoarthritis Initiative.](#) *European Journal of Orthopaedic Surgery & Traumatology : Orthopedie Traumatologie.* 2016;26:99-106.
248. Steidle-Kloc E, Wirth W, Ruhdorfer A, Dannhauer T, Eckstein F. [Intra- and inter-observer reliability of quantitative analysis of the infra-patellar fat pad and comparison between fat- and non-fat-suppressed imaging-Data from the Osteoarthritis Initiative.](#) *Ann Anat* 2016;204:29-35.[PMCID:4764434].
249. Veronese N, Stubbs B, Noale M, Solmi M, Luchini C, Smith TO, Cooper C, Guglielmi G, Reginster JY, Rizzoli R, Maggi S. [Adherence to a Mediterranean diet is associated with lower prevalence of osteoarthritis: Data from the osteoarthritis initiative.](#) *Clin Nutr* 2016. [Epub ahead of print]. [PMCID:5385158].
250. Veronese N, Stubbs B, Noale M, Solmi M, Luchini C, Maggi S. [Adherence to the Mediterranean diet is associated with better quality of life: data from the Osteoarthritis Initiative.](#) *Am J Clin Nutr* 2016;104:1403-9.[PMCID:5081720].
251. Vina ER, Hannon MJ, Kwok CK. [Improvement following total knee replacement surgery: Exploring preoperative symptoms and change in preoperative symptoms.](#) *Semin Arthritis Rheum* 2016;45:547-55.
252. White DK, Neogi T, Nguyen UD, Niu J, Zhang Y. [Trajectories of functional decline in knee osteoarthritis: the Osteoarthritis Initiative.](#) *Rheumatology (Oxford)* 2016;55:801-8.[PMCID:5009418].
253. Whittle R, Jordan KP, Thomas E, Peat G. [Average symptom trajectories following incident radiographic knee osteoarthritis: data from the Osteoarthritis Initiative.](#) *RMD Open* 2016;2:e000281. [PMCID:4947746].
254. Wirth W, Maschek S, F WR, Eckstein F. [Layer-specific femorotibial cartilage T2 relaxation time in knees with and without early knee osteoarthritis: Data from the Osteoarthritis Initiative \(OAI\).](#) *Sci Rep* 2016;6:34202.[PMCID:5037443].
255. Wise BL, Liu F, Kritikos L, Lynch JA, Parimi N, Zhang Y, Lane NE. [The association of distal femur and proximal tibia shape with sex: The Osteoarthritis Initiative.](#) *Seminars in Arthritis and Rheumatism* 2016.6;46:20-6.
256. Wu J, Mahfouz MR. [Robust x-ray image segmentation by spectral clustering and active shape model.](#) *Journal of medical imaging (Bellingham, Wash)* 2016;3:034005.[PMCID:5028420].

257. Yoo TK, Kim DW, Choi SB, Oh E, Park JS. [Simple scoring system and artificial neural network for knee osteoarthritis risk prediction: A cross-sectional study.](#) *PLoS One* 2016;11:e0148724.[PMCID:4747508].
258. Zhang F, Kumm J, Svensson F, Turkiewicz A, Frobell R, Englund M. [Risk factors for meniscal body extrusion on MRI in subjects free of radiographic knee osteoarthritis: Longitudinal data from the Osteoarthritis initiative.](#) *Osteoarthritis Cartilage* 2016;24:801-6.
259. Zikria B, Hafezi-Nejad N, Wilckens J, Ficke JR, Demehri S. [Determinants of knee replacement in subjects with a history of arthroscopy: Data from the Osteoarthritis Initiative.](#) *European Journal of Orthopaedic Surgery & Traumatology : Orthopedie Traumatologie* 2016.26:665-70.
260. Zhong H, Miller DJ, Urish KL. [T2 map signal variation predicts symptomatic osteoarthritis progression: Data from the Osteoarthritis Initiative.](#) *Skeletal Radiol* 2016;45:909-13.[PMCID:4876054].

2015

261. Batsis JA, Germain CM, Vasquez E, Zbehlik AJ, Bartels SJ. [Physical Activity Predicts Higher Physical Function in Older Adults: The Osteoarthritis Initiative.](#) *J Phys Act Health* 2015.[PMCID:4596795].
262. Batsis JA, Zbehlik AJ, Barre LK, Bynum J, Pidgeon D, Bartels SJ. [Impact of obesity on disability, function, and physical activity: data from the Osteoarthritis Initiative.](#) *Scand J Rheumatol* 2015;44:495-502.[PMCID:4651723].
263. Batsis JA, Zbehlik AJ, Scherer EA, Barre LK, Bartels SJ. [Normal weight with central obesity, physical activity, and functional decline: Data from the Osteoarthritis Initiative.](#) *J Am Geriatr Soc* 2015;63:1552-60.[PMCID:4595157].
264. Batsis JA, Zbehlik AJ, Pidgeon D, Bartels SJ. [Dynapenic obesity and the effect on long-term physical function and quality of life: Data from the Osteoarthritis Initiative.](#) *BMC Geriatr* 2015;15:118.[PMCID:4599326].
265. Bindawas SM, Vennu V, Auais M. [Health-related quality of life in older adults with bilateral knee pain and back pain: Data from the Osteoarthritis Initiative.](#) *Rheumatol Int* 2015;35:2095-101.[PMCID:4654663].
266. Bindawas S, Vennu V, Al Snih S. [Differences in health-related quality of life among subjects with frequent bilateral or unilateral knee pain: Data from the Osteoarthritis Initiative Study.](#) *J Orthop Sports Phys Ther.*2015;45:128-36.[PMCID:4380178].
267. Bindawas SM, Vennu V. [Longitudinal effects of physical inactivity and obesity on gait speed in older adults with frequent knee pain: Data from the Osteoarthritis Initiative.](#) *Int J Environ Res Public Health* 2015;12:1849-63.[PMCID:4344697].
268. Binks DA, Gravallesse EM, Bergin D, Hodgson RJ, Tan AL, Matzelle MM, McGonagle D, Radjenovic A. [Role of vascular channels as a novel mechanism for subchondral bone damage at cruciate ligament entheses in osteoarthritis and inflammatory arthritis.](#) *Ann Rheum Dis.* 2015;74:196-203.[PMCID:4283693].

269. Bloecker K, Wirth W, Guermazi A, Hitzl W, Hunter DJ, Eckstein F. [Longitudinal change in quantitative meniscus measurements in knee osteoarthritis-Data from the Osteoarthritis Initiative](#). *Eur Radiol*.2015;25:2960-8.
270. Bloecker K, Wirth W, Guermazi A, Hunter DJ, Resch H, Hochreiter J, Eckstein F. [Relationship between medial meniscal extrusion and cartilage loss in specific femorotibial subregions: Data From the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)* 2015;67:1545-52.[PMID:4624520].
271. Bowes MA, Vincent GR, Wolstenholme CB, Conaghan PG. [A novel method for bone area measurement provides new insights into osteoarthritis and its progression](#). *Ann Rheum Dis*. 2015;74:519-25.
272. Bucknor MD, Nardo L, Joseph GB, Alizai H, Srikhun W, Nevitt MC, Lynch JA, McCulloch CE, Link TM. [Association of cartilage degeneration with four year weight gain- 3T MRI Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2015; 23:525-31.[PMCID:4368476].
273. Case R, Thomas E, Clarke E, Peat G. [Prodromal Symptoms in Knee Osteoarthritis: A Nested Case-Control Study Using Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*.2015; 23;1083-9.[PMCID:4491193].
274. Cotofana S, Wirth W, Pena Rossi C, Eckstein F, Gunther OH. [Contralateral knee effect on self-reported knee-specific function and global functional assessment - Data from the Osteoarthritis Initiative \(OAI\)](#). *Arthritis Care Res (Hoboken)*. 2015; 67:374-81.
275. Dam EB, Lillholm M, Marques J, Nielsen M. [Automatic segmentation of high- and low-field knee MRIs using knee image quantification with Data from the Osteoarthritis Initiative](#). *JMIOBU*. 2015;2:024001.[PMCID:4478858].
276. Dannhauer T, Ruhdorfer A, Wirth W, Eckstein F. [Quantitative Relationship of Thigh Adipose Tissue With Pain, Radiographic Status, and Progression of Knee Osteoarthritis: Longitudinal Findings From the Osteoarthritis Initiative](#). *Invest Radiol*. 2015; 50:268-74.
277. Diepold J, Ruhdorfer A, Dannhauer T, Wirth W, Steidle E, Eckstein F. [Sex-differences of the healthy infra-patellar \(Hoffa\) fat pad in relation to intermuscular and subcutaneous fat content-Data from The Osteoarthritis Initiative](#). *Annals of Anatomy-Anatomischer Anzeiger* 2015;200c:30-6.[PMCID:4457586].
278. Driban JB, Ward RJ, Eaton CB, Lo GH, Lyn Price L, Lu B, McAlindon TE. [Meniscal extrusion or subchondral damage characterize incident accelerated osteoarthritis: Data from the Osteoarthritis Initiative](#). *Clinical anatomy* 2015;28:792-9.[PMCID:4679290].
279. Driban JB, Lo GH, Eaton CB, Price LL, Lu B, McAlindon TE. [Knee pain and a prior injury are associated with increased risk of a new knee injury: Data from the Osteoarthritis Initiative](#). *J Rheumatol* 2015;42:1463-9.[PMCID:4522334].
280. Eckstein F, Collins JE, Nevitt MC, Lynch JA, Kraus VB, Katz JN, Losina E, Wirth W, Guermazi A, Roemer FW, Hunter DJ. [Brief Report: Cartilage thickness change as an imaging biomarker of knee osteoarthritis progression: Data fom the Foundation for the National Institutes of Health Osteoarthritis Biomarkers Consortium](#). *Arthritis Rheumatol* 2015;67:3184-9.

281. Farber JM, Totterman SM, Martinez-Torteya A, Tamez-Pena JG. [Scan-rescan precision of subchondral bone curvature maps from routine 3D DESS water excitation sequences: Data from the Osteoarthritis Initiative](#). *Comput Biol Med* 2015;69:83-91
282. Faschingbauer M, Renner L, Waldstein W, Boettner F. [Are lateral compartment osteophytes a predictor for lateral cartilage damage in varus osteoarthritic knees? : Data from the Osteoarthritis Initiative](#). *Bone Joint J* 2015;97-b:1634-9.
283. Galvan-Tejada JI, Celaya-Padilla JM, Trevino V, Tamez-Pena JG. [Multivariate radiological-based models for the prediction of future knee pain: Data from the OAI](#). *Comput Math Methods Med* 2015;2015:794141. [PMCID:4609515].
284. Galván-Tejada JI, Celaya-Padilla JM, Treviño V, Tamez-Peña JG. [Knee osteoarthritis image registration: Data from the Osteoarthritis Initiative](#). 2015. p. 94143C-C-7.
285. Hafezi-Nejad N, Zikria B, Eng J, Carrino JA, Demehri S. [Predictive value of semi-quantitative MRI-based scoring systems for future knee replacement: Data from the Osteoarthritis Initiative](#). *Skeletal Radiol* 2015 ;44:1655-62.
286. Hakky M, Jarraya M, Ratzlaff C, Guerhazi A, Duryea J. [Validity and responsiveness of a new measure of knee osteophytes for osteoarthritis studies: Data from the osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2015;23:2199-205.
287. Hensor EM, Dube B, Kingsbury SR, Tennant A, Conaghan PG. [Toward a clinical definition of early osteoarthritis: onset of patient-reported knee pain begins on stairs. Data from the Osteoarthritis Initiative](#). *Arthritis Care & Research*. 2015;67:40-7.[PMCID:4296218].
288. Hitzl W, Wirth W, Maschek S, Cotofana S, Nevitt M, John MR, Ladel C, Eckstein F. [Greater lateral femorotibial cartilage loss in Osteoarthritis Initiative participants with incident knee replacement: A prospective cohort study](#). *Arthritis Care Res (Hoboken)* 2015.[2015;67:1481-1486.[PMCID:4580517].
289. Hoang U, Sinha U, Sinha U. [TU-CD-BRA-07: A Comparison of demons image registration algorithms to monitor longitudinal changes in knee cartilage: Data From the Osteoarthritis Initiative \(OAI\)](#). *Med Phys* 2015;42:3607.
290. Johnson VL, Kwok CK, Guerhazi A, Roemer F, Boudreau RM, Fujii T, Hannon MJ, Hunter DJ. [Loss of anterior cruciate ligament integrity and the development of radiographic knee osteoarthritis: A sub-study of The Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2015;23:882-7.[PMCID:4444391].
291. Joseph GB, McCulloch CE, Nevitt MC, Heilmeyer U, Nardo L, Lynch JA, Liu F, Baum T, Link TM. [A reference database of cartilage 3 tesla MRI T2 values in knees without diagnostic evidence of cartilage degeneration: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*.2015. 23;897-905.[PMCID:4444394].
292. Jungmann PM, Nevitt MC, Baum T, Liebl H, Nardo L, Liu F, Lane NE, McCulloch CE, Link TM. [Relationship of unilateral total hip arthroplasty \(THA\) to contralateral and ipsilateral knee joint degeneration-A longitudinal 3T MRI study from the Osteoarthritis Initiative \(OAI\)](#). *Osteoarthritis Cartilage*.2015;23:1144-53.[PMCID:4470862].
293. Kahn TL, Schwarzkopf R. [Does total knee arthroplasty affect physical activity levels? Data from the Osteoarthritis Initiative](#). *The Journal of Arthroplasty* 2015;30:1521-5.

294. Katsuragi J, Sasho T, Yamaguchi S, Sato Y, Watanabe A, Akagi R, Muramatsu Y, Mukoyama S, Akatsu Y, Fukawa T, Endo J, Hoshi H, Yamamoto Y, Sasaki T, Takahashi K. [Hidden osteophyte formation on plain x-ray is the predictive factor for development of knee osteoarthritis after 48 months - Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2015;23:383-90.
295. Kim C, Nevitt MC, Niu J, Clancy MM, Lane NE, Link TM, Vlad S, Tolstykh I, Jungmann PM, Felson DT, Guermazi A. [Association of hip pain with radiographic evidence of hip osteoarthritis: diagnostic test study](#). *BMJ*. 2015;351:h5983.[PMCID:4667842].
296. Kirkness CS, Ren J. [Race differences: Identification of community-dwelling women at risk for poor health outcomes using walking speed: Osteoarthritis Initiative \(OAI\) Study](#). *Phys Ther*. 2015; 95:955-65.[PMCID:4498144].
297. Kretschmar M, Lin W, Nardo L, Joseph GB, Dunlop DD, Heilmeier U, Nevitt MC, Alizai H, McCulloch CE, Lynch JA, Link TM. [Association of physical activity measured by accelerometer, knee joint abnormalities and cartilage T2-measurements obtained from 3T MRI: Data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)* 2015;67:1272-80.[PMCID:4573366].
298. Lapane KL, Yang S, Driban JB, Liu SH, Dube CE, McAlindon TE, Eaton CB. [Effects of prescription non-steroidal anti-inflammatory agents on symptoms and disease progression among patients with knee osteoarthritis](#). *Arthritis Rheumatol*. 2015;67:724-32 [PMCID:4342290].
299. Lee J, Chang RW, Ehrlich-Jones L, Kwok CK, Nevitt M, Semanik PA, Sharma L, Sohn MW, Song J, Dunlop DD. [Sedentary behavior and physical function: Objective Evidence from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)*. 2015;67:366-73.[PMCID:4336845].
300. Lo GH, McAlindon TE, Hawker GA, Driban JB, Price LL, Song J, Eaton CB, Hochberg MC, Jackson RD, Kwok CK, Nevitt MC, Dunlop DD. [Symptom assessment in knee osteoarthritis needs to account for physical activity level](#). *Arthritis Rheumatol* 2015;67:2897-904.[PMCID:4626322].
301. Mallikarjunaswamy MS, Holi M, Raman R. [Quantification and 3D visualization of articular cartilage of knee joint using image processing techniques](#). *Computational Intelligence in Data Mining - Volume 2: Springer India*; 2015:417-25.
302. Martel-Pelletier J, Roubille C, Abram F, Hochberg MC, Dorais M, Delorme P, Raynauld JP, Pelletier JP. [First-line analysis of the effects of treatment on progression of structural changes in knee osteoarthritis over 24 months: data from the osteoarthritis initiative progression cohort](#). *Ann Rheum Dis*. 2015;74:547-56.
303. Messier SP. [Weight gain and incident knee osteoarthritis in asymptomatic at risk patients: A step closer to primary prevention trials](#). *Osteoarthritis and Cartilage*. 2015;23:501-2.
304. Misra D, Felson DT, Silliman RA, Nevitt M, Lewis CE, Torner J, Neogi T. [Knee osteoarthritis and frailty: Findings from the Multicenter Osteoarthritis Study and Osteoarthritis Initiative](#). *J Gerontol A Biol Sci Med Sci*. 2015;70:339-44.[PMCID:4351392].

305. Moyer R, Wirth W, Eckstein F. [Sensitivity of different measures of frontal plane alignment to medial and lateral joint space narrowing: From the Osteoarthritis Initiative](#). *Semin Arthritis Rheum* 2015;45:268-74.
306. Passey C, Kimko H, Nandy P, Kagan L. [Osteoarthritis disease progression model using six year follow-up data from the Osteoarthritis Initiative](#). *J Clin Pharmacol*. 2015;55:269-78.
307. Paterson KL, Hinman RS, Hunter DJ, Wrigley TV, Bennell KL. [Impact of concurrent foot pain on health and functional status in people with knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)*.2015;67:989-95.[PMCID:4482794].
308. Riddle DL, Makowski M. [Knee pain patterns and associations with pain and function in persons with or at risk for symptomatic radiographic osteoarthritis: A cross-sectional analysis](#). *J Rheumatol* 2015;42:2398-403.[PMCID:4668229].
309. Riddle DL, Makowski M, Kong X. [Knee osteoarthritis worsening across the disease spectrum and future knee pain, symptoms and functioning: A multisite prospective cohort study](#). *Arthritis Care Res (Hoboken)* 2015; 67:1722-9.[PMCID:4715755].
310. Riddle DL, Perera RA, Nay WT, Dumenci L. [What is the relationship between depressive symptoms and pain during functional tasks in persons undergoing TKA? A 6-year perioperative cohort study](#). *Clin Orthop Relat Res*. 2015;473:3527-34.[PMCID:4586193].
311. Riddle DL, Jiranek WA. [Knee osteoarthritis radiographic progression and associations with pain and function prior to knee arthroplasty: A multicenter comparative cohort study](#). *Osteoarthritis Cartilage*. 2015; 23:391-6.[PMCID:4339616].
312. Riddle DL, Perera RA, Jiranek WA, Dumenci L. [Using surgical appropriateness criteria to examine outcomes of total knee arthroplasty in a United States sample](#). *Arthritis Care Res (Hoboken)*. 2015;67:349-57.[PMCID:4320045].
313. Ried JS, Flechsenhar K, Bartnik E, Crowther D, Dietrich A, Eckstein F. [Sample size calculations for detecting DMOAD effects on knee replacement in clinical trials - Data from the Osteoarthritis Initiative](#). *Arthritis Rheumatol* 2015;67:3174-83.
314. Roemer FW, Kwok CK, Hannon MJ, Hunter DJ, Eckstein F, Fujii T, Boudreau RM, Guermazi A. What comes first? [Multi-tissue involvement leading to radiographic osteoarthritis: MRI-based trajectory analysis over 4 years in the Osteoarthritis Initiative](#). *Arthritis Rheumatol* 2015;67:2085-96.[PMCID:4519416].
315. Roemer FW, Kwok CK, Hannon MJ, Hunter DJ, Eckstein F, Wang Z, Boudreau RM, John MR, Nevitt MC, Guermazi A. [Can structural joint damage measured with MR imaging be used to predict knee replacement in the following year?](#) *Radiology*. 2015: *Radiology* 2015;274:810-20.[PMCID:4455669].
316. Roubille C, Martel-Pelletier J, Abram F, Dorais M, Delorme P, Raynauld JP, Pelletier JP. [Impact of disease treatments on the progression of knee osteoarthritis structural changes related to meniscal extrusion: Data from the OAI progression cohort](#). *Semin Arthritis Rheum* 2015;45:257-67.
317. Ruhdorfer A, Wirth W, Dannhauer T, Eckstein F. [Longitudinal \(4 year\) change of thigh muscle and adipose tissue distribution in chronically painful vs. painless knees - Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2015;23:1348-56.[PMCID:4516618].

318. Ruhdorfer A, Wirth W, Eckstein F. [Relationship between isometric thigh muscle strength and minimal clinically important differences \(MCIDs\) in knee function in osteoarthritis - data from the osteoarthritis initiative](#). *Arthritis Care Res (Hoboken)*. 2015; 67:509-18. [PMCID:4376605].
319. Semanik PA, Lee J, Song J, Chang RW, Sohn MW, Ehrlich-Jones LS, Ainsworth BE, Nevitt MM, Kwok CK, Dunlop DD. [Accelerometer-monitored sedentary behavior and observed physical function loss](#). *Am J Public Health*. 2015:e1-e7. [PMCID:4330824].
320. Song J, Lindquist LA, Chang RW, Semanik PA, Ehrlich-Jones LS, Lee J, Sohn MW, Dunlop DD. [Sedentary Behavior as a Risk Factor for Physical Frailty Independent of Moderate Activity: Results From the Osteoarthritis Initiative](#). *Am J Public Health* 2015:e1-e7. 2015;105:1439-45.[PMCID:4463377].
321. Steidle-Kloc E, Wirth W, Glass NA, Ruhdorfer A, Cotofana S, Eckstein F, Segal NA. [Is pain in one knee associated with isometric muscle strength in the contralateral limb?: Data From the Osteoarthritis Initiative](#). *Am J Phys Med Rehabil*; 2015;94:792-803.[PMCID:43609857].
322. Waarsing JH, Bierma-Zeinstra SM, Weinans H. [Distinct subtypes of knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Rheumatology (Oxford)* 2015;54:1650-8.[PMCID:4536859].
323. Wesseling J, Bierma-Zeinstra SM, Kloppenburg M, Meijer R, Bijlsma JW. [Worsening of pain and function over 5 years in individuals with 'early' OA is related to structural damage: Data from the Osteoarthritis Initiative and CHECK \(Cohort Hip & Cohort Knee\) study](#). *Ann Rheum Dis* 2015;74:347-53.
324. Xue N, Doellinger M, Ho CP, Surowiec RK, Schwarz R. [Automatic detection of anatomical landmarks on the knee joint using MRI data](#). *Journal of Magnetic Resonance Imaging*.2015;41:183-92.
325. Yang S, Eaton CB, McAlindon TE, Lapane KL. [Effects of glucosamine and chondroitin on treating knee osteoarthritis: An analysis with marginal structural models](#). *Arthritis Rheumatol*. 2015. 2015;67:714-23.[PMCID:4342281].
326. Yu A, Heilmeyer U, Kretzschmar M, Joseph GB, Liu F, Liebl H, McCulloch CE, Nevitt MC, Lane NE, Link TM. [Racial differences in biochemical knee cartilage composition between African-American and Caucasian-American women with 3Tesla MR-based T2 relaxation time measurements - Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2015.23:1595-1604.[PMCID:4646660].
327. Zhang M, Driban JB, Price LL, Lo GH, McAlindon TE. [Magnetic resonance image sequence influences the relationship between bone marrow lesions volume and pain: Data from the Osteoarthritis Initiative](#). *Biomed Res Int* 2015;2015:731903.[PMCID:4644821].
328. Zhang M, Driban JB, Price LL, Lo GH, Miller E, McAlindon TE. [Development of a rapid cartilage damage quantification method for the lateral tibiofemoral compartment using magnetic resonance images: Data from the Osteoarthritis Initiative](#). *Biomed Res Int* 2015; 634275.[PMCID:4680059].

2014

329. Alizai H, Virayavanich W, Joseph GB, Nardo L, Liu F, Liebl H, Nevitt MC, Lynch JA, McCulloch CE, Link TM. [Cartilage lesion score: comparison of a quantitative assessment score with established semiquantitative MR scoring systems](#). *Radiology*. 2014; 271: 479-487.[PMCID:4263635].
330. Barr AJ, Dube B, Hensor EM, Kingsbury SR, Peat G, Bowes MA, Conaghan PG. [The relationship between clinical characteristics, radiographic osteoarthritis and 3D bone area: data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2014; 22: 1703-1709.[PMCID:4192139].
331. Batsis JA, Zbehlik AJ, Barre LK, Mackenzie TA, Bartels SJ. [The impact of waist circumference on function and physical activity in older adults: longitudinal observational data from the osteoarthritis initiative](#). *Nutr J*. 2014.13: 81.[PMCID:4267442].
332. Binks DA, Bergin D, Freemont AJ, Hodgson RJ, Yonenaga T, McGonagle D, Radjenovic A. [Potential role of the posterior cruciate ligament synovio-entheseal complex in joint effusion in early osteoarthritis: a magnetic resonance imaging and histological evaluation of cadaveric tissue and data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2014; 22: 1310-1317.[PMCID:4164908].
333. Bloecker K, Guermazi A, Wirth W, Kwok CK, Resch H, Hunter DJ, Eckstein F. [Correlation of semiquantitative vs quantitative MRI meniscus measures in osteoarthritic knees: results from the Osteoarthritis Initiative](#). *Skeletal Radiol*. 2014; 43: 227-232.
334. Bruns K, Svensson F, Turkiewicz A, Wirth W, Guermazi A, Eckstein F, Englund M. [Meniscus body position and its change over four years in asymptomatic adults: a cohort study using data from the Osteoarthritis Initiative \(OAI\)](#). *BMC Musculoskelet Disord*. 2014; 15: 32.[PMCID:3924236].
335. Collins JE, Katz JN, Dervan EE, Losina E. [Trajectories and risk profiles of pain in persons with radiographic, symptomatic knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2014; 22: 622-630.[PMCID:4028704].
336. Cotofana S, Benichou O, Hitzl W, Wirth W, Eckstein F. [Is loss in femorotibial cartilage thickness related to severity of contra-lateral radiographic knee osteoarthritis? - Longitudinal data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2014. 2059-66.
337. Cotofana S, Buck R, Dreher D, Wirth W, Roemer F, Duryea J, Nevitt M, Eckstein F; for the Osteoarthritis Initiative Investigators. [Longitudinal \(1-year\) change in cartilage thickness in knees with early knee osteoarthritis: A within-person between-knee comparison-data from the OAI](#). *Arthritis Care Res (Hoboken)*. 2014; 66:436-41.
338. Dannhauer T, Sattler M, Wirth W, Hunter DJ, Kwok CK, Eckstein F. [Longitudinal sensitivity to change of MRI-based muscle cross-sectional area versus isometric strength analysis in osteoarthritic knees with and without structural progression: pilot data from the Osteoarthritis Initiative](#). *MAGMA*. 2014; 27: 339-347.
339. Driban JB, Eaton CB, Lo GH, Ward RJ, Lu B, McAlindon TE. [Association of knee injuries with accelerated knee osteoarthritis progression: Data from the Osteoarthritis Initiative](#). *Arthritis*

Care Res (Hoboken). 2014;66:1673-9.[PMCID:4211979].

340. Dunlop DD, Song J, Semanik PA, Sharma L, Bathon JM, Eaton CB, Hochberg MC, Jackson RD, Kwok CK, Mysiw WJ, Nevitt MC, Chang RW. [Relation of physical activity time to incident disability in community dwelling adults with or at risk of knee arthritis: prospective cohort study.](#) *BMJ*. 2014; 348: g2472.[PMCID:4004786].
341. Duryea J, Iranpour-Boroujeni T, Collins JE, Vanwynngaarden C, Guermazi A, Katz JN, Losina E, Russell R, Ratzlaff C. [Local area cartilage segmentation: A semiautomated novel method of measuring cartilage loss in knee osteoarthritis.](#) *Arthritis Care Res (Hoboken)*. 2014;66:1560-5.[PMCID:4175290].
342. Eckstein F, Boudreau RM, Wang Z, Hannon MJ, Wirth W, Cotofana S, Guermazi A, Roemer F, Nevitt M, John MR, Ladel C, Sharma L, Hunter DJ, Kwok CK. [Trajectory of cartilage loss within 4 years of knee replacement - a nested case-control study from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage*. 2014; 22: 1542-1549.[PMCID:4184997].
343. Eckstein F, Kwok CK, Link TM. [Imaging research results from the osteoarthritis initiative \(OAI\): a review and lessons learned 10 years after start of enrolment.](#) *Ann Rheum Dis* 2014;73:1289-300.
344. Everhart JS, Siston RA, Flanigan DC. [Tibiofemoral subchondral surface ratio \(SSR\) is a predictor of osteoarthritis symptoms and radiographic progression: data from the Osteoarthritis Initiative \(OAI\).](#) *Osteoarthritis Cartilage*. 2014; 22: 771-778.
345. Gan HS, Swee TT, Abdul Karim AH, Sayuti KA, Abdul Kadir MR, Tham WK, Wong LX, Chaudhary KT, Ali J, Yupapin PP. [Medical image visual appearance improvement using bihistogram Bezier curve contrast enhancement: data from the Osteoarthritis Initiative.](#) *ScientificWorldJournal*. 2014; 2014: 294104.[PMCID:4054963].
346. Gan HS, Tan TS, Wong LX, Tham WK, Sayuti KA, Abdul Karim AH, Bin Abdul Kadir MR. [Interactive knee cartilage extraction using efficient segmentation software: Data from the osteoarthritis initiative.](#) *Biomed Mater Eng*. 2014; 24: 3145-3157.
347. Hunter DJ, Nevitt M, Losina E, Kraus V. [Biomarkers for osteoarthritis: current position and steps towards further validation.](#) *Best Pract Res Clin Rheumatol*. 2014; 28: 61-71.[PMCID:4010869].
348. Illingworth KD, El Bitar Y, Siewert K, Scaife SL, El-Amin S, Saleh KJ. [Correlation of WOMAC and KOOS scores to tibiofemoral cartilage loss on plain radiography and 3 Tesla MRI: data from the osteoarthritis initiative.](#) *Knee Surg Sports Traumatol Arthrosc*. 2014; 22: 1649-1658.
349. Iranpour-Boroujeni T, Li J, Lynch JA, Nevitt M, Duryea J. [A new method to measure anatomic knee alignment for large studies of OA: data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage*. 2014; 22: 1668-1674.
350. Kahn TL, Soheili AC, Schwarzkopf R. [Poor WOMAC scores in contralateral knee negatively impact TKA outcomes: data from the osteoarthritis initiative.](#) *J Arthroplasty*. 2014; 29: 1580-1585.
351. Laslett LL, Kingsbury SR, Hensor EM, Bowes MA, Conaghan PG. [Effect of bisphosphonate use in patients with symptomatic and radiographic knee osteoarthritis: data from the Osteoarthritis Initiative.](#) *Ann Rheum Dis*. 2014; 73: 824-830.

352. Liebl H, Joseph G, Nevitt MC, Singh N, Heilmeier U, Subburaj K, Jungmann PM, McCulloch CE, Lynch JA, Lane NE, Link TM. [Early T2 changes predict onset of radiographic knee osteoarthritis: data from the osteoarthritis initiative](#). *Ann Rheum Dis*. 2014.[PMCID:4160419].
353. Lindner C, Wallis GA, Cootes TF. [Increasing shape modelling accuracy by adjusting for subject positioning: an application to the analysis of radiographic proximal femur symmetry using data from the Osteoarthritis Initiative](#). *Bone*. 2014; 61: 64-70.[PMCID:3968883].
354. Lu B, Driban JB, Duryea J, McAlindon T, Lapane KL, Eaton CB. [Milk consumption and progression of medial tibiofemoral knee osteoarthritis: data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)*. 2014; 66: 802-809.[PMCID:4201042].
355. Maschek S, Wirth W, Ladel C, Hellio Le Graverand MP, Eckstein F. [Rates and sensitivity of knee cartilage thickness loss in specific central reading radiographic strata from the osteoarthritis initiative](#). *Osteoarthritis Cartilage*. 2014; 22: 1550-1553.[PMCID:4185129].
356. Nicholls E, Thomas E, van der Windt DA, Croft PR, Peat G. [Pain Trajectory Groups in Persons With, or At High Risk of, Knee Osteoarthritis: Findings from the Knee Clinical Assessment Study and the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2014.[PMCID:4256061].
357. Niu J, Nevitt M, McCulloch C, Torner J, Lewis CE, Katz JN, Felson DT. [Comparing the functional impact of knee replacements in two cohorts](#). *BMC Musculoskelet Disord*. 2014;15:145.[PMCID:4016673].
358. Paproki A, Engstrom C, Chandra SS, Neubert A, Fripp J, Crozier S. [Automated segmentation and analysis of normal and osteoarthritic knee menisci from magnetic resonance images - data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2014; 22: 1259-1270.
359. Ratzlaff C, Van Wyngaarden C, Duryea J. [Location-specific hip joint space width for progression of hip osteoarthritis - Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2014; 22: 1481-1487.[PMCID:4185128].
360. Riddle DL, Jiranek WA, Hayes CW. [Use of a validated algorithm to judge the appropriateness of total knee arthroplasty in the United States: a multicenter longitudinal cohort study](#). *Arthritis Rheumatol*. 2014; 66: 2134-2143.[PMCID:4190177].
361. Ruhdorfer A, Wirth W, Hitzl W, Nevitt M, Eckstein F. [Association of thigh muscle strength with knee symptoms and radiographic disease stage of osteoarthritis: data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)*. 2014; 66: 1344-1353.
362. Ruhdorfer AS, Dannhauer T, Wirth W, Cotofana S, Roemer F, Nevitt M, Eckstein F. [Thigh muscle cross-sectional areas and strength in knees with early vs knees without radiographic knee osteoarthritis: a between-knee, within-person comparison](#). *Osteoarthritis Cartilage*. 2014; 22: 1634-1638.[PMCID:4185150].
363. Sattler M, Dannhauer T, Ring-Dimitriou S, Sanger AM, Wirth W, Hudelmaier M, Eckstein F. [Relative distribution of quadriceps head anatomical cross-sectional areas and volumes- Sensitivity to pain and to training intervention](#). *Ann Anat*. 2014;196:464-70.[PMCID:4250421].
364. Serebrakian AT, Poulos T, Liebl H, Joseph GB, Lai A, Nevitt MC, Lynch JA, McCulloch CE, Link TM. [Weight loss over 48 months is associated with reduced progression of cartilage T2](#)

[relaxation time values: Data from the osteoarthritis initiative.](#) *J Magn Reson Imaging*. 2014.[PMCID:4185274].

365. Sharma L, Chmiel JS, Almagor O, Dunlop D, Guermazi A, Bathon J, Eaton C, Hochberg M, Jackson R, Kwok K, Mysiw WJ, Crema M, Roemer F, Nevitt M. [Significance of pre-radiographic MRI lesions in persons at higher risk for knee osteoarthritis.](#) *Arthritis Rheumatol*. 2014. [PMCID:4162852].
366. Sohn MW, Manheim LM, Chang RW, Greenland P, Hochberg MC, Nevitt MC, Semanik PA, Dunlop DD. [Sedentary behavior and blood pressure control among osteoarthritis initiative participants.](#) *Osteoarthritis Cartilage*. 2014; 22: 1234-1240.[PMCID:4159385].
367. Soto-Hermida A, Fernandez-Moreno M, Oreiro N, Fernandez-Lopez C, Pertega S, Cortes-Pereira E, Rego-Perez I, Blanco FJ. [Mitochondrial DNA \(mtDNA\) Haplogroups Influence the Progression of Knee Osteoarthritis. Data from the Osteoarthritis Initiative \(OAI\).](#) *PLoS One*. 2014; 9: e112735.[PMCID:4229258].
368. Sun K, Song J, Lee J, Chang RW, Eaton CB, Ehrlich-Jones L, Kwok KC, Manheim LM, Semanik PA, Sharma L, Sohn MW, Dunlop DD. [Relationship of meeting physical activity guidelines with health-related utility.](#) *Arthritis Care Res (Hoboken)*. 2014; 66: 1041-1047.[PMCID:4051873].
369. Sun K, Song J, Manheim LM, Chang RW, Kwok KC, Semanik PA, Eaton CB, Dunlop DD. [Relationship of meeting physical activity guidelines with quality-adjusted life-years.](#) *Semin Arthritis Rheum*. 2014;44:264-70.[PMCID:4258164].
370. Vennu V, Bindawas SM. [Relationship between falls, knee osteoarthritis, and health-related quality of life: data from the Osteoarthritis Initiative study.](#) *Clin Interv Aging*. 2014; 9: 793-800.[PMCID:4020882].
371. Weiss E. [Knee osteoarthritis, body mass index and pain: data from the Osteoarthritis Initiative.](#) *Rheumatology (Oxford)*. 2014; 53:2095-2099.[PMCID:4202024].
372. Wirth W, Nevitt M, Hellio Le Graverand MP, Lynch J, Maschek S, Hudelmaier M, Eckstein F. [Lateral and medial joint space narrowing predict subsequent cartilage loss in the narrowed, but not in the non-narrowed femorotibial compartment--data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage*. 2014; 22: 63-70.[PMCID:4054605],
373. Wise BL, Kritikos L, Lynch JA, Liu F, Parimi N, Tileston KL, Nevitt MC, Lane NE. [Proximal femur shape differs between subjects with lateral and medial knee osteoarthritis and controls: the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage*. 2014;22:2067-73.[PMCID:4252863].
374. Wolski M, Podsiadlo P, Stachowiak GW. [Directional fractal signature methods for trabecular bone texture in hand radiographs: data from the Osteoarthritis Initiative.](#) *Med Phys*. 2014; 41: 081914.
375. Yerges-Armstrong LM, Yau MS, Liu Y, Krishnan S, Renner JB, Eaton CB, Kwok CK, Nevitt MC, Duggan DJ, Mitchell BD, Jordan JM, Hochberg MC, Jackson RD. [Association analysis of BMD-associated SNPs with knee osteoarthritis.](#) *J Bone Miner Res*. 2014; 29: 1373-1379.[PMCID:4080308].
376. Zhang KY, Kedgley AE, Donoghue CR, Rueckert D, Bull AM. [The relationship between lateral meniscus shape and joint contact parameters in the knee: a study using data from the](#)

[Osteoarthritis Initiative](#). *Arthritis Res Ther*. 2014; 16: R27.[PMCID:3978753].

377. Zhang M, Driban JB, Price LL, Harper D, Lo GH, Miller E, Ward RJ, McAlindon TE. [Development of a rapid knee cartilage damage quantification method using magnetic resonance images](#). *BMC Musculoskelet Disord*. 2014; 15: 264.[PMCID:4126278].
378. Zhang FF, Driban JB, Lo GH, Price LL, Booth S, Eaton CB, Lu B, Nevitt M, Jackson B, Garganta C, Hochberg MC, Kwoh K, McAlindon TE. [Vitamin D Deficiency Is Associated with Progression of Knee Osteoarthritis](#). *J Nutr*. 2014; 144: 2002-2008. [PMCID:4230211].

2013

379. Alschuler KN, Molton IR, Jensen MP, Riddle DL. [Prognostic value of coping strategies in a community-based sample of persons with chronic symptomatic knee osteoarthritis](#). *Pain*. 2013;154:2775-81.[PMCID:4298486].
380. Baum T, Joseph GB, Nardo L, Virayavanich W, Arulanandan A, Alizai H, Carballido-Gamio J, Nevitt MC, Lynch J, McCulloch C E, Link TM. [Correlation of magnetic resonance imaging-based knee cartilage T2 measurements and focal knee lesions with body mass index: thirty-six-month followup data from a longitudinal, observational multicenter study](#). *Arthritis Care Res (Hoboken)*. 2013;65:23-33.[PMCID:3432679].
381. Badlani JT, Borrero C, Golla S, Harner CD, Irrgang JJ. [The effects of meniscus injury on the development of knee osteoarthritis: data from the osteoarthritis initiative](#). *Am J Sports Med*. 2013 Jun;41(6):1238-44.
382. Bloecker K, Guermazi A, Wirth W, Benichou O, Kwoh CK, Hunter DJ, Englund M, Resch H, Eckstein F; OAI investigators. [Tibial coverage, meniscus position, size and damage in knees discordant for joint space narrowing - data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2013;21:419-427.[PMCID:4398339].
383. Bloecker K, Wirth W, Hunter DJ, Duryea J, Guermazi A, Kwoh CK, Resch H, Eckstein F. [Contribution of regional 3D meniscus and cartilage morphometry by MRI to joint space width in fixed flexion knee radiography--a between-knee comparison in subjects with unilateral joint space narrowing](#). *Eur J Radiol*. 2013;82:e832-9.
384. Buck RJ, Wirth W, Dreher D, Nevitt M, Eckstein F. [Frequency and spatial distribution of cartilage thickness change in knee osteoarthritis and its relation to clinical and radiographic covariates - data from the osteoarthritis initiative](#). *Osteoarthritis Cartilage*. 2013;21:102-109.
385. Chuah TK, Reeth EV, Sheah K, Poh CL. [Texture analysis of bone marrow in knee MRI for classification of subjects with bone marrow lesion - Data from the Osteoarthritis Initiative](#). *Magn Reson Imaging*. 2013;31(6):930-938.
386. Chundru R, Baum T, Nardo L, Nevitt MC, Lynch J, McCulloch CE, Link TM. [Focal knee lesions in knee pairs of asymptomatic and symptomatic subjects with OA risk factors - Data from the Osteoarthritis Initiative](#). *Eur J Radiol*. 2013;82(8):367-373.[PMCID:3696431].
387. Colbert CJ, Almagor O, Chmiel JS, Song J, Dunlop D, Hayes KW, Sharma L. [Excess body weight and 4-year function outcomes: Comparison of african-americans and caucasians in the osteoarthritis initiative](#). *Arthritis Care Res (Hoboken)*. 2013;65:5-14. [PMCID:3514654].

388. Cotofana S, Wyman BT, Benichou O, Dreher D, Nevitt M, Gardiner J, Wirth W, Hitzl W, Kwok CK, Eckstein F, Frobell RB; OAI Investigators Group. [Relationship between knee pain and the presence, location, size and phenotype of femorotibial denuded areas of subchondral bone as visualized by MRI](#). *Osteoarthritis Cartilage*. 2013 Sep;21(9):1214-22.
389. Dardzinski BJ, Schneider E. [Radiofrequency \(RF\) coil impacts the value and reproducibility of cartilage spin-spin \(T2\) relaxation time measurements](#). *Osteoarthritis Cartilage*. 2013 May;21(5):710-20.[PMCID:3624070].
390. Driban JB, Lo GH, Price L, Pang J, Miller E, Ward RJ, Hunter DJ, Eaton CB, Lynch JA, McAlindon TE; OAI Investigators Group. [Bone marrow lesion volume reduction is not associated with improvement of other periarticular bone measures: data from the Osteoarthritis Initiative](#). *Arthritis Res Ther*. 2013;15(5):R153.[PMCID:3978480].
391. Driban JB, Price L, Lo GH, Pang J, Hunter DJ, Miller E, Ward RJ, Eaton CB, Lynch JA, McAlindon TE. [Evaluation of bone marrow lesion volume as a knee osteoarthritis biomarker--longitudinal relationships with pain and structural changes: data from the Osteoarthritis Initiative](#). *Arthritis Res Ther*. 2013;15(5):R112. [PMCID:3978948].
392. Eckstein F, Hitzl W, Duryea J, Kwok KC, Wirth W. [Baseline and longitudinal change in isometric muscle strength prior to radiographic progression in osteoarthritic and pre-osteoarthritic knees - data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2013 May;21(5):682-690. [PMCID:3624032].
393. Eckstein F, Kwok CK, Boudreau RM, Wang Z, Hannon MJ, Cotofana S, Hudelmaier MI, Wirth W, Guermazi A, Nevitt MC, John MR, Hunter DJ, for the OAI. [Quantitative MRI measures of cartilage predict knee replacement: a case-control study from the Osteoarthritis Initiative](#). *Ann Rheum Dis*. 2013 Jun;72(6):924-9.
394. Felson DT, Niu J, Gross KD, Englund M, Sharma L, Cooke TD, Guermazi A, Roemer FW, Segal N, Goggins JM, Lewis CE, Eaton C, Nevitt MC. [Valgus malalignment is a risk factor for lateral knee osteoarthritis incidence and progression: Findings from the multicenter osteoarthritis study and the osteoarthritis initiative](#). *Arthritis Rheum*. 2013; 65:355-362.[PMCID:3558618].
395. Felson DT, Niu J, Yang T, Torner J, Lewis CE, Aliabadi P, Sack B, Sharma L, Guermazi A, Goggins J, Nevitt MC. [Physical activity, alignment and knee osteoarthritis: Data from MOST and the OAI](#). *Osteoarthritis Cartilage*. 2013;21(6):789-795.[PMCID:3648587].
396. Felson D, Niu J, Sack B, Aliabadi P, McCullough C, Nevitt MC. [Progression of osteoarthritis as a state of inertia](#). *Ann Rheum Dis* 2013;72:924-9.[PMCID:5310527].
397. Hoogeboom TJ, den Broeder AA, de Bie RA, van den Ende CH. [Longitudinal impact of joint pain comorbidity on quality of life and activity levels in knee osteoarthritis: data from the Osteoarthritis Initiative](#). *Rheumatology (Oxford)*. 2013 Mar;52(3):543-6.[PMCID:3716330].
398. Jungmann PM, Kraus MS, Alizai H, Nardo L, Baum T, Nevitt MC, McCulloch CE, Joseph GB, Lynch JA, Link TM. [Association of metabolic risk factors with cartilage degradation assessed by t2 relaxation time at the knee: data from the osteoarthritis initiative](#). *Arthritis Care Res (Hoboken)*. 2013 Dec;65(12):1942-50. [PMCID:4144858].
399. Jungmann PM, Kraus MS, Nardo L, Liebl H, Alizai H, Joseph GB, Liu F, Lynch J, McCulloch CE, Nevitt MC, Link TM. [T2 relaxation time measurements are limited in monitoring](#)

[progression, once advanced cartilage defects at the knee occur: Longitudinal data from the osteoarthritis initiative](#). *J Magn Reson Imaging*. 2013 Dec;38(6):1415-24. [PMCID:4114220].

400. Jungmann PM, Tham SC, Liebl H, Nevitt MC, McCulloch CE, Lynch J, Link TM. [Association of trochlear dysplasia with degenerative abnormalities in the knee: data from the Osteoarthritis Initiative](#). *Skeletal Radiol*. 2013 Oct;42(10):1383-1392.[PMCID:3757255].
401. Kahn TL, Soheili A, Schwarzkopf R. [Outcomes of total knee arthroplasty in relation to preoperative patient-reported and radiographic measures: data from the osteoarthritis initiative](#). *Geriatr Orthop Surg Rehabil*. 2013 Dec;4(4):117-26.[PMCID:3943364].
402. Kingsbury SR, Hensor EM, Walsh CA, Hochberg MC, Conaghan PG. [How do people with knee osteoarthritis use osteoarthritis pain medications and does this change over time? Data from the Osteoarthritis Initiative](#). *Arthritis Res Ther*. 2013;15(5):R106.[PMCID:3978852].
403. Lapane KL, Yang S, Jawahar R, McAlindon T, Eaton CB. [CAM use among overweight and obese persons with radiographic knee osteoarthritis](#). *BMC Complement Altern Med*. 2013 Sep 28;13:241.[PMCID:3850510].
404. Lee J, Song J, Hootman JM, Semanik PA, Chang RW, Sharma L, Van Horn L, Bathon JM, Eaton CB, Hochberg MC, Jackson R, Kwok CK, Mysiw WJ, Nevitt M, Dunlop DD. [Obesity and other modifiable factors for physical inactivity measured by accelerometer in adults with knee osteoarthritis: Data from the osteoarthritis initiative \(OAI\)](#). *Arthritis Care Res (Hoboken)*. 2013;65:53-61.[PMCID:3449019].
405. Lin W, Alizai H, Joseph GB, Srikkum W, Nevitt MC, Lynch JA, McCulloch CE, Link TM. [Physical activity in relation to knee cartilage T2 progression measured with 3 T MRI over a period of 4 years: data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2013 Oct;21(10):1558-66.[PMCID:3874212].
406. Lu B, Ahmad O, Zhang FF, Driban JB, Duryea J, Lapane KL, McAlindon T, Eaton CB. [Soft drink intake and progression of radiographic knee osteoarthritis: data from the osteoarthritis initiative](#). *BMJ Open*. 2013 Jul 19;3(7).[PMCID:3717463].
407. Maly MR, Calder KM, Macintyre NJ, Beattie KA. [Relationship of intermuscular fat volume in the thigh with knee extensor strength and physical performance in women at risk of or with knee osteoarthritis](#). *Arthritis Care Res (Hoboken)* 2013;65:44-52.[PMCID:3535556].
408. Mercier C, Piperno M, Vignon E, Brandt K, Hochberg M, Hellio Le Graverand MP. [In normal knees, joint space width \(JSW\) is correlated with the intermargin distance \(IMD\), a measure of medial tibial plateau alignment. Variations in IMD explain variability in JSW in serial radiographs](#). *Joint Bone Spine*. 2013 Mar;80(2):183-7.
409. Neogi T, Bowes M, Niu J, De Souza K, Vincent G, Goggins J, Zhang Y, Felson DT. [MRI-based three-dimensional bone shape of the knee predicts onset of knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Arthritis Rheum*. 2013 Aug;65(8):2048-2058. Epub 2013 May 3.[PMCID:3729737].
410. Oak SR, Ghodadra A, Winalski CS, Miniaci A, Jones MH. [Radiographic joint space width is correlated with 4-year clinical outcomes in patients with knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage* 2013;21:1185-90.
411. Pang J, Driban JB, Destenaves G, et al. [Quantification of bone marrow lesion volume and](#)

[volume change using semi-automated segmentation: data from the osteoarthritis initiative.](#) *BMC Musculoskelet Disord.* Jan 2 2013;14:3.[PMCID:3637109].

412. Rasanen LP, Mononen ME, Nieminen MT, Lammentausta E, Jurvelin JS, Korhonen RK, Investigators OAI. [Implementation of subject-specific collagen architecture of cartilage into a 2D computational model of a knee joint-data from the osteoarthritis initiative \(OAI\).](#) *J Orthop Res.* 2013;31:10-22.
413. Riddle DL, Dumenci L. [Self-rated health and symptomatic knee osteoarthritis over three years: Data from the osteoarthritis initiative.](#) *Arthritis Care Res (Hoboken).* 2013; 65(2):169-176.[PMCID:3386372].
414. Riddle DL, Jensen MP. [Construct and criterion-based validity of brief pain coping scales in persons with chronic knee osteoarthritis pain.](#) *Pain Med.* 2013;14:265-275.[PMCID:3594566]
415. Riddle DL, Jiranek WA, Hull JR. [Validity and reliability of radiographic knee osteoarthritis measures by arthroplasty surgeons.](#) *Orthopedics.* 2013;36:e25-32.
416. Riddle DL, Moxley G, Dumenci L. [Associations between statin use and changes in pain, function and structural progression: a longitudinal study of persons with knee osteoarthritis.](#) *Ann Rheum Dis.* 2013;72:196-203.
417. Riddle DL, Perera RA, Stratford PW, Jiranek WA, Dumenci L. [Progressing toward and recovering from knee replacement surgery: A 5-year cohort study.](#) *Arthritis Rheum.* 2013; 65(12):3304-3313.
418. Riddle DL, Stratford PW. [Body weight changes and corresponding changes in pain and function in persons with symptomatic knee osteoarthritis: a cohort study.](#) *Arthritis Care Res (Hoboken).* 2013;65:15-22.[PMCID:3401342].
419. Riddle DL, Stratford PW. [Unilateral vs bilateral symptomatic knee osteoarthritis: associations between pain intensity and function..](#) *Rheumatology (Oxford).* 2013;52(12):2229-37.[PMCID:3828512].
420. Ruhdorfer A, Dannhauer T, Wirth W, Hitzl W, Kwoh CK, Guermazi A, Hunter DJ, Benichou O, Eckstein F. [Thigh muscle cross-sectional areas and strength in advanced versus early painful osteoarthritis-An exploratory between-knee, within-person comparison in osteoarthritis initiative participants.](#) *Arthritis Care Res (Hoboken).* 2013;65(7):1034-1042.
421. Schneider E, Nessaiver M. [The Osteoarthritis Initiative \(OAI\) magnetic resonance imaging quality assurance update.](#) *Osteoarthritis Cartilage.* 2013;21:110-116.[PMCID:3629918].
422. Song J, Hochberg MC, Chang RW, Hootman JM, Manheim LM, Lee J, Semanik PA, Sharma L, Dunlop DD. [Racial/ethnic differences in physical activity guideline attainment among participants in the osteoarthritis initiative.](#) *Arthritis Care Res (Hoboken).* 2013;65:195-202.[PMCID:3502693].
423. Urish KL, Williams AA, Durkin JR, Chu CR; the OAI Investigators Group. [Registration of Magnetic Resonance Image Series for Knee Articular Cartilage Analysis: Data from the Osteoarthritis Initiative.](#) *Cartilage.* 2013;4(1):20-27.[PMCID:3753048].
424. Urish KL, Keffalas MG, Durkin JR, Miller DJ, Chu CR, Mosher TJ. [T2 Texture Index of Cartilage Can Predict Early Symptomatic OA Progression: Data from the Osteoarthritis](#)

[Initiative](#). *Osteoarthritis Cartilage*. 2013;10:1550-1557.[PMCID:3779506].

425. Virayavanich W, Alizai H, Baum T, Nardo L, Nevitt MC, Lynch JA, McCulloch CE, Link TM. [Association of frequent knee bending activity with focal knee lesions detected with 3T MRI - data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)*. 2013;65(9);1441-1448. [PMCID:4118638].
426. Wenger A, Wirth W, Hudelmaier M, Noebauer-Huhmann I, Trattig S, Bloecker K, Frobell RB, Kwok K, Eckstein F, Englund M. [Meniscus body position, size and shape in persons with and without radiographic knee osteoarthritis: Quantitative analyses of knee MRIs from the Osteoarthritis Initiative](#). *Arthritis Rheum*. 2013;65(7);1804-1811.
427. White DK, Niu J, Zhang Y. [Is symptomatic knee osteoarthritis a risk factor for a trajectory of fast decline in gait speed? Results from a longitudinal cohort study](#). *Arthritis Care Res (Hoboken)*. 2013;65:187-194.[PMCID:3529801].
428. Wirth W, Duryea J, Hellio Le Graverand MP, John MR, Nevitt M, Buck RJ, Eckstein F. [Direct comparison of fixed flexion, radiography and MRI in knee osteoarthritis: responsiveness data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2013;21:117-125.[PMCID:3569717].
429. Yamabe E, Ueno T, Miyagi R, Watanabe A, Guenzi C, Yoshioka H. [Study of surgical indication for knee arthroplasty by cartilage analysis in three compartments using data from Osteoarthritis Initiative \(OAI\)](#). *BMC Musculoskelet Disord*. 2013;14:194.[PMCID:3695763].
430. Yang S, Dubé CE, Eaton CB, McAlindon TE, Lapane KL. [Longitudinal use of complementary and alternative medicine among older adults with radiographic knee osteoarthritis](#). *Clin Ther*. 2013;35(11):1690-702.[PMCID:3880574].

2012

431. Baum T, Joseph GB, Arulanandan A, Nardo L, Virayavanich W, Carballido-Gamio J, Nevitt MC, Lynch J, McCulloch CE, Link TM. [Association of magnetic resonance imaging-based knee cartilage T2 measurements and focal knee lesions with knee pain: Data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)*. 2012;64:248-255.[PMCID:3267009].
432. Baum T, Stehling C, Joseph GB, Carballido-Gamio J, Schwaiger BJ, Muller-Hocker C, Nevitt MC, Lynch J, McCulloch CE, Link TM. [Changes in knee cartilage T2 values over 24 months in subjects with and without risk factors for knee osteoarthritis and their association with focal knee lesions at baseline: Data from the Osteoarthritis Initiative](#). *J Magn Reson Imaging*. 2012;35:370-378.[PMCID:3265616].
433. Beattie KA, Macintyre NJ, Ramadan K, Inglis D, Maly MR. [Longitudinal changes in intermuscular fat volume and quadriceps muscle volume in the thighs of women with knee osteoarthritis](#). *Arthritis Care Res (Hoboken)*. 2012;64:22-29.[PMCID:3251718].
434. Berger MJ, Kean CO, Goela A, Doherty TJ. [Disease severity and knee extensor force in knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)*. 2012;64:729-734.[PMCID:3335963].
435. Bloecker K, Wirth W, Hudelmaier M, Burgkart R, Frobell R, Eckstein F. [Morphometric Differences between the medial and lateral meniscus in healthy men - A three-dimensional](#)

[analysis using magnetic resonance imaging](#). *Cells Tissues Organs*. 2012;195:353-364.[PMCID:3696373].

436. Colbert CJ, Song J, Dunlop D, Chmiel JS, Hayes KW, Cahue S, Moio KC, Chang AH, Sharma L. [Knee confidence as it relates to physical function outcome in persons with or at higher risk for knee osteoarthritis in the osteoarthritis](#). *Arthritis Rheum*. 2012;64:1437-1446.[PMCID:3319513].
437. Cotofana S, Buck R, Wirth W, Roemer F, Duryea J, Nevitt M, Eckstein F. [Cartilage thickening in early radiographic human knee osteoarthritis - within-person, between-knee comparison](#). *Arthritis Care Res (Hoboken)*. 2012;64:1681-1690.[PMCID:3429643].
438. Dodin P, Abram F, Pelletier JP, Martel-Pelletier J. [A fully automated system for quantification of knee bone marrow lesions using MRI and the Osteoarthritis Initiative \(OAI\) cohort \(public datasets\)](#). *J Biomed Graph Comput*. 2012;3:p51.
439. Donoghue C, Rao A, Bull AJ, Rueckert D. [Robust global registration through geodesic paths on an empirical manifold with knee MRI from the Osteoarthritis Initiative \(OAI\)](#). In: Dawant B, Christensen G, Fitzpatrick JM, Rueckert D, eds. *Biomedical Image Registration*: Springer Berlin Heidelberg; 2012:1-10.
440. Driban JB, Tassinari A, Lo GH, Price LL, Schneider E, Lynch JA, Eaton CB, McAlindon TE. [Bone marrow lesions are associated with altered trabecular morphometry](#). *Osteoarthritis Cartilage*. 2012;20:1519-152.[PMCID:3478500].
441. Eckstein F, McCulloch CE, Lynch JA, Nevitt M, Kwok CK, Maschek S, Hudelmaier M, Sharma L, Wirth W. [How do short-term rates of femorotibial cartilage change compare to long-term changes? Four year follow-up data from the osteoarthritis initiative](#). *Osteoarthritis Cartilage*. 2012 Nov;20(11):1250-1257.[PMCID:3471368].
442. Guermazi A, Hunter DJ, Li L, Benichou O, Eckstein F, Kwok CK, Nevitt M, Hayashi D. [Different thresholds for detecting osteophytes and joint space narrowing exist between the site investigators and the centralized reader in a multicenter knee osteoarthritis study--data from the Osteoarthritis Initiative](#). *Skeletal Radiol*. 2012;41:179-186.[PMCID:3181387].
443. Haugen IK, Cotofana S, Englund M, Kvien TK, Dreher D, Nevitt M, Lane NE, Eckstein F, the Osteoarthritis Initiative. [Hand joint space narrowing and osteophytes are associated with magnetic resonance imaging-defined knee cartilage thickness and radiographic knee osteoarthritis: Data from the Osteoarthritis Initiative](#). *J Rheumatol*. 2012;39:161-166.
444. Hovis KK, Alizai H, Tham SC, Souza RB, Nevitt MC, McCulloch CE, Link TM. [Non-traumatic anterior cruciate ligament abnormalities and their relationship to osteoarthritis using morphological grading and cartilage T2 relaxation times: data from the Osteoarthritis Initiative \(OAI\)](#). *Skeletal Radiol*. 2012;41:1435-1443.[PMCID:3586320].
445. Joseph GB, Baum T, Alizai H, Carballido-Gamio J, Nardo L, Virayavanich W, Lynch JA, Nevitt MC, McCulloch CE, Majumdar S, Link TM. [Baseline mean and heterogeneity of MR cartilage T\(2\) are associated with morphologic degeneration of cartilage, meniscus, and bone marrow over 3 years - data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2012;20:727-735.[PMCID:3595156]
446. Laberge MA, Baum T, Virayavanich W, Nardo L, Nevitt MC, Lynch J, McCulloch CE, Link TM. [Obesity increases the prevalence and severity of focal knee abnormalities diagnosed](#)

[using 3T MRI in middle-aged subjects-data from the Osteoarthritis Initiative](#). *Skeletal Radiol*. 2012;41:633-641.[PMCID:4105189].

447. Lapane KL, Sands MR, Yang S, McAlindon TE, Eaton CB. [Use of complementary and alternative medicine among patients with radiographic-confirmed knee osteoarthritis](#). *Osteoarthritis Cartilage*. 2012;20:22-28.[PMCID:3254852].
448. Lester G. [The Osteoarthritis Initiative: A NIH Public-Private Partnership](#). *HSS J*. 2012;8: 62-63.[PMCID:3295933].
449. Lo GH, Tassinari A, Driban JB, Price LL, Schneider E, Majumdar S, McAlindon TE. [Cross-sectional DXA and MR measures of tibial periarticular bone associate with radiographic knee osteoarthritis severity](#). *Osteoarthritis Cartilage*. 2012;20:686-693.[PMCID:3760173].
450. Mansournia MA, Danaei G, Forouzanfar MH, Mahmoodi M, Jamali M, Mansournia N, Mohammad K. [Effect of physical activity on functional performance and knee pain in patients with osteoarthritis: Analysis with marginal structural models](#). *Epidemiology*. 2012;23:631-640.
451. Nardo L, Alizai H, Virayavanich W, Liu F, Hernandez A, Lynch JA, Nevitt MC, McCulloch CE, Lane NE, Link TM. [Lumbosacral transitional vertebrae: association with low back pain](#). *Radiology*. 2012;265:497-503.[PMCID:3480814].
452. Riddle DL. [Validity of clinical measures of frontal plane knee alignment: Data from the Osteoarthritis Initiative](#). *Man Ther*. 2012;17:459-465.[PMCID:3423550].
453. Riddle DL, Jiranek WA, Neff RS, Whitaker D, Hull JR. [Extent of tibiofemoral osteoarthritis before knee arthroplasty: multicenter data from the Osteoarthritis Initiative](#). *Clin Orthop Relat Res*. 2012;470: 2836-42.[PMCID:3442002].
454. Riddle DL, Kong X, Jiranek WA. [Factors associated with rapid progression to knee arthroplasty: Complete analysis of three-year data from the osteoarthritis initiative](#). *Joint Bone Spine*. 2012;79:298-303.
455. Sattler M, Dannhauer T, Hudelmaier M, Wirth W, Sanger AM, Kwok CK, Hunter DJ, Eckstein F. [Side differences of thigh muscle cross-sectional areas and maximal isometric muscle force in bilateral knees with the same radiographic disease stage, but unilateral frequent Pain - Data from the osteoarthritis initiative](#). *Osteoarthritis Cartilage*. 2012;20:532-540.[PMCID:3350840].
456. Schneider E, Nevitt M, McCulloch C, Cicuttini FM, Duryea J, Eckstein F, Tamez-Pena J. [Equivalence and precision of knee cartilage morphometry between different segmentation teams, cartilage regions, and MR acquisitions](#). *Osteoarthritis Cartilage*. 2012;20:869-879.[PMCID:3391588].
457. Siorpaes K, Wenger A, Bloecker K, Wirth W, Hudelmaier M, Eckstein F. [Interobserver reproducibility of quantitative meniscus analysis using coronal multiplanar DESS and IWTSE MR imaging](#). *Magn Reson Med*. 2012;67:1419-1426.[PMCID:3527078].
458. Stein V, Li L, Lo G, Guermazi A, Zhang Y, Kent Kwok C, Eaton CB, Hunter DJ. [Pattern of joint damage in persons with knee osteoarthritis and concomitant ACL tears](#). *Rheumatol Int*. 2012;32:1197-1208.[PMCID:3181385].

459. Tamez-Pena J, Farber J, Gonzalez P, Schreyer E, Schneider E, Totterman S. [Unsupervised segmentation and quantification of anatomical knee features: Data from the Osteoarthritis Initiative](#). *IEEE Trans Biomed Eng*. 2012;59:1177-1186.
460. Wenger A, Englund M, Wirth W, Hudelmaier M, Kwok K, Eckstein F, Investigators OAI. [Relationship of 3D meniscal morphology and position with knee pain in subjects with knee osteoarthritis: a pilot study](#). *Eur Radiol*. 2012;22:211-220.
461. Yang S, Jawahar R, McAlindon TE, Eaton CB, Lapane KL. [Racial differences in symptom management approaches among persons with radiographic knee osteoarthritis](#). *BMC Complement Altern Med*. 2012;12:86.[PMCID:3493375].

2011

462. Ababneh SY, Prescott JW, Gurcan MN. [Automatic graph-cut based segmentation of bones from knee magnetic resonance images for osteoarthritis research](#). *Med Image Anal*. 2011;15:438-448.[PMCID:3131695].
463. Bloecker K, Englund M, Wirth W, Hudelmaier M, Burgkart R, Frobell RB, Eckstein F. [Size and position of the healthy meniscus, and its correlation with sex, height, weight, and bone area- a cross-sectional study](#). *BMC Musculoskelet Disord*. 2011;12:248.[PMCID:3215228].
464. Carballido-Gamio J, Joseph GB, Lynch JA, Link TM, Majumdar S. [Longitudinal analysis of MRI T\(2\) knee cartilage laminar organization in a subset of patients from the osteoarthritis initiative: A texture approach](#). *Magn Reson Med*. 2011;65:1184-1194.
465. Carballido-Gamio J, Majumdar S. [Atlas-based knee cartilage assessment](#). *Magn Reson Med*. 2011;66:575-581.[PMCID:3346276].
466. Clearfield J, Segal NA. [Health Coverage and Its Relation to the Prevalence and Intensity of Symptomatic Knee Osteoarthritis](#). *J Investig Med*. 2011;59:956-960.[PMCID:3196827].
467. Dunlop DD, Song J, Semanik PA, Chang RW, Sharma L, Bathon JM, Eaton CB, Hochberg MC, Jackson RD, Kwok CK, Mysiw WJ, Nevitt MC, Hootman JM. [Objective physical activity measurement in the osteoarthritis initiative: Are guidelines being met?](#) *Arthritis Rheum*. 2011;63:3372-3382.[PMCID:3205278].
468. Dunlop DD, Song J, Semanik PA, Sharma L, Chang RW. [Physical activity levels and functional performance in the osteoarthritis initiative: a graded relationship](#). *Arthritis Rheum*. 2011;63:127-136.[PMCID:3010474].
469. Eckstein F, Cotofana S, Wirth W, Nevitt M, John MR, Dreher D, Frobell R, for the OAIIG. [Greater rates of cartilage loss in painful knees than in pain-free knees after adjustment for radiographic disease stage: Data from the osteoarthritis initiative](#). *Arthritis Rheum*. 2011;63:2257-2267.[PMCID:3149734].
470. Eckstein F, Nevitt M, Gimona A, Picha K, Lee JH, Davies RY, Dreher D, Benichou O, Le Graverand MP, Hudelmaier M, Maschek S, Wirth W. [Rates of change and sensitivity to change in cartilage morphology in healthy knees and in knees with mild, moderate, and end-stage radiographic osteoarthritis: results from 831 participants from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)* 2011;63:311-9.[PMCID:3106126].

471. Hayashi D, Guermazi A, Kwok CK, Hannon MJ, Moore C, Jakicic JM, Green SM, Roemer FW. [Semiquantitative assessment of subchondral bone marrow edema-like lesions and subchondral cysts of the knee at 3T MRI: a comparison between intermediate-weighted fat-suppressed spin echo and Dual Echo Steady State sequences.](#) *BMC Musculoskelet Disord.* 2011;12:198.[PMCID:3182962].
472. Hovis KK, Stehling C, Souza RB, Haughom BD, Baum T, Nevitt M, McCulloch C, Lynch JA, Link TM. [Physical activity is associated with MR-based knee cartilage T2 measurements in asymptomatic subjects with and without osteoarthritis risk factors.](#) *Arthritis Rheum.* 2011;63:2248-2256.[PMCID:3149726].
473. Iranpour-Boroujeni T, Watanabe A, Bashtar R, Yoshioka H, Duryea J. [Quantification of cartilage loss in local regions of knee joints using semi-automated segmentation software: analysis of longitudinal data from the Osteoarthritis Initiative \(OAI\).](#) *Osteoarthritis Cartilage.* 2011;19:309-314.[PMCID:3046247].
474. Joseph GB, Baum T, Carballido-Gamio J, Nardo L, Virayavanich W, Alizai H, Lynch JA, McCulloch CE, Majumdar S, Link TM. [Texture analysis of cartilage T2 maps: individuals with risk factors for OA have higher and more heterogeneous knee cartilage MR T2 compared to normal controls - Data from the Osteoarthritis Initiative.](#) *Arthritis Res Ther.* 2011;13:R153.[PMCID:3308083].
475. Knoop J, van der Leeden M, Thorstensson CA, Roorda LD, Lems WF, Knol DL, Steultjens MP, Dekker J. [Identification of phenotypes with different clinical outcomes in knee osteoarthritis: Data from the osteoarthritis initiative.](#) *Arthritis Care Res (Hoboken).* 2011;63:1535-1542.
476. Pan J, Pialat JB, Joseph T, Kuo D, Joseph GB, Nevitt MC, Link TM. [Knee Cartilage T2 Characteristics and Evolution in Relation to Morphologic Abnormalities Detected at 3-T MR Imaging: A Longitudinal Study of the Normal Control Cohort from the Osteoarthritis Initiative.](#) *Radiology.* 2011;261:507-515.[PMCID:3198219].
477. Pan J, Stehling C, Muller-Hocker C, Schwaiger BJ, Lynch J, McCulloch CE, Nevitt MC, Link TM. [Vastus lateralis/vastus medialis cross-sectional area ratio impacts presence and degree of knee joint abnormalities and cartilage T2 determined with 3T MRI - an analysis from the incidence cohort of the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage.* 2011;19:65-73.[PMCID:3027210].
478. Prescott JW, Best TM, Swanson MS, Haq F, Jackson RD, Gurcan MN. [Anatomically anchored template-based level set segmentation: Application to quadriceps muscles in MR images from the Osteoarthritis Initiative.](#) *J Digit Imaging.* 2011;24:28-43.[PMCID:2891211].
479. Reichmann WM, Katz JN, Losina E. [Differences in self-reported health in the Osteoarthritis Initiative \(OAI\) and Third National Health and Nutrition Examination Survey \(NHANES-III\).](#) *PLoS One.* 2011;6:e17345.[PMCID:3046148].
480. Riddle DL, Kong X, Fitzgerald GK. [Psychological health impact on 2-year changes in pain and function in persons with knee pain: data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage.* 2011;19:1095-1101.[PMCID:3159740].
481. Riddle DL, Stratford PW. [Impact of pain reported during isometric quadriceps muscle strength testing in people with knee pain: data from the osteoarthritis initiative.](#) *Phys Ther.* 2011;91:1478-1489.[PMCID:3185222].

482. Stehling C, Baum T, Mueller-Hoecker C, Liebl H, Carballido-Gamio J, Joseph GB, Majumdar S, Link TM. [A novel fast knee cartilage segmentation technique for T\(2\) measurements at MR imaging - data from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage.* 2011;19:984-989.
483. Tameem HZ, Ardekani S, Seeger L, Thompson P, Sinha US. [Initial results on development and application of statistical atlas of femoral cartilage in osteoarthritis to determine sex differences in structure: Data from the osteoarthritis initiative.](#) *J Magn Reson Imaging.* 2011;34:372-383.[PMCID:3142327].
484. Wirth W, Buck R, Nevitt M, Hellio Le Graverand MP, Benichou O, Dreher D, Davies RY, Lee JH, Picha K, Gimona A, Maschek S, Hudelmaier M, Eckstein F. [MRI-based extended ordered values more efficiently differentiate cartilage loss in knees with and without joint space narrowing than region-specific approaches using MRI or radiography - Data from the OA Initiative.](#) *Osteoarthritis Cartilage.* 2011;19:689-699.[PMCID:3097310].
485. Wirth W, Larroque S, Davies RY, Nevitt M, Gimona A, Baribaud F, Lee JH, Benichou O, Wyman BT, Hudelmaier M, Maschek S, Eckstein F, Group OAI. [Comparison of 1-year vs 2-year change in regional cartilage thickness in osteoarthritis results from 346 participants from the Osteoarthritis Initiative.](#) *Osteoarthritis Cartilage.* 2011;19:74-83.[PMCID:3046392].
486. Zhang W, McWilliams DF, Ingham SL, Doherty SA, Muthuri S, Muir KR, Doherty M. [Nottingham knee osteoarthritis risk prediction models.](#) *Rheum Dis.* 2011;70:1599-1604.

2010

487. Balamoody S, Williams TG, Waterton JC, Bowes M, Hodgson R, Taylor CJ, Hutchinson CE. [Comparison of 3T MR scanners in regional cartilage thickness analysis in osteoarthritis: a cross-sectional multicentre multivendor study.](#) *Arthritis Res Ther.* 2010;12:R202.[PMCID:2991039].
488. Benichou OD, Hunter DJ, Nelson DR, Guermazi A, Eckstein F, Kwok K, Myers SL, Wirth W, Duryea J, Osteoarthritis Initiative I. [One-year change in radiographic joint space width in patients with unilateral joint space narrowing: data from the Osteoarthritis Initiative.](#) *Arthritis Care Res (Hoboken).* 2010;62:924-931.[PMCID:2927100].
489. Bieleman HJ, Oosterveld FG, Oostveen JC, Reneman MF, Groothoff JW. [Work participation and health status in early osteoarthritis of the hip and/or knee: a comparison between the Cohort Hip and Cohort Knee and the Osteoarthritis Initiative.](#) *Arthritis Care Res (Hoboken).* 2010;62:683-689.[PMCID:3005361].
490. Bredbenner TL, Eliason TD, Potter RS, Mason RL, Havill LM, Nicolella DP. [Statistical shape modeling describes variation in tibia and femur surface geometry between Control and Incidence groups from the osteoarthritis initiative database.](#) *J Biomech.* 2010;43:1780-1786.[PMCID:2997679].
491. Carballido-Gamio J, Blumenkrantz G, Lynch JA, Link TM, Majumdar S. [Longitudinal analysis of MRI T\(2\) knee cartilage laminar organization in a subset of patients from the osteoarthritis initiative.](#) *Magn Reson Med.* 2010;63:465-472.
492. Chang A, Hochberg M, Song J, Dunlop D, Chmiel JS, Nevitt M, Hayes K, Eaton C, Bathon J,

Jackson R, Kwok CK, Sharma L. [Frequency of varus and valgus thrust and factors associated with thrust presence in persons with or at higher risk of developing knee osteoarthritis](#). *Arthritis Rheum*. 2010;62:1403-1411.[PMCID:2921866].

493. Dunlop DD, Semanik P, Song J, Sharma L, Nevitt M, Jackson R, Mysiw J, Chang RW, Osteoarthritis Initiative I. [Moving to maintain function in knee osteoarthritis: evidence from the osteoarthritis initiative](#). *Arch Phys Med Rehabil*. 2010;91:714-721.[PMCID:2864942].
494. Duryea J, Neumann G, Niu J, Totterman S, Tamez J, Dabrowski C, Le Graverand MP, Luchi M, Beals CR, Hunter DJ. [Comparison of radiographic joint space width with magnetic resonance imaging cartilage morphometry: Analysis of longitudinal data from the osteoarthritis initiative](#). *Arthritis Care Res (Hoboken)*. 2010;62:932-937.[PMCID:2937275].
495. Eckstein F, Nevitt M, Gimona A, Picha K, Lee JH, Davies RY, Dreher D, Benichou O, Le Graverand MP, Hudelmaier M, Maschek S, Wirth W, for the OAIIG. [Rates of change and sensitivity to change in cartilage morphology in healthy knees and in knees with mild, moderate, and end stage radiographic osteoarthritis](#). *Arthritis Care Res (Hoboken)*. 2011; 63(3):311-319.[PMCID:3106126].
496. Eckstein F, Wirth W, Hunter DJ, Guermazi A, Kwok CK, Nelson DR, Benichou O, Investigators OAI. [Magnitude and regional distribution of cartilage loss associated with grades of joint space narrowing in radiographic osteoarthritis--data from the Osteoarthritis Initiative \(OAI\)](#). *Osteoarthritis Cartilage*. 2010;18:760-768.[PMCID:2975907].
497. Eckstein F, Yang M, Guermazi A, Roemer FW, Hudelmaier M, Picha K, Baribaud F, Wirth W, Felson DT. [Reference values and Z-scores for subregional femorotibial cartilage thickness--results from a large population-based sample \(Framingham\) and comparison with the non-exposed Osteoarthritis Initiative reference cohort](#). *Osteoarthritis Cartilage*. 2010;18:1275-1283.[PMCID:2982217].
498. Elsner JJ, Portnoy S, Guilak F, Shterling A, Linder-Ganz E. [MRI-based characterization of bone anatomy in the human knee for size matching of a medial meniscal implant](#). *J Biomech Eng*. 2010;132:101008.
499. Felson DT, Lynch J, Guermazi A, Roemer FW, Niu J, McAlindon T, Nevitt MC. [Comparison of BLOKS and WOMBS scoring systems part II. Longitudinal assessment of knee MRIs for osteoarthritis and suggested approach based on their performance: data from the Osteoarthritis Initiative](#). *Osteoarthritis Cartilage*. 2010;18:1402-1407.[PMCID:3005331].
500. Frobell RB, Nevitt MC, Hudelmaier M, Wirth W, Wyman BT, Benichou O, Dreher D, Davies R, Lee JH, Baribaud F, Gimona A, Eckstein F, Osteoarthritis Initiative I. [Femorotibial subchondral bone area and regional cartilage thickness: a cross-sectional description in healthy reference cases and various radiographic stages of osteoarthritis in 1,003 knees from the Osteoarthritis Initiative](#). *Arthritis Care Res (Hoboken)*. 2010;62:1612-1623.
501. Frobell RB, Wirth W, Nevitt M, Wyman BT, Benichou O, Dreher D, Davies RY, Lee JH, Baribaud F, Gimona A, Hudelmaier M, Cotofana S, Eckstein F, investigators OAI. [Presence, location, type and size of denuded areas of subchondral bone in the knee as a function of radiographic stage of OA - data from the OA initiative](#). *Osteoarthritis Cartilage*. 2010;18:668-676.[PMCID:3066411].
502. Hunter DJ, Li L, Zhang YQ, Totterman S, Tamez J, Kwok CK, Eaton CB, Le Graverand MP, Beals CR, Investigators OAI. [Region of interest analysis: by selecting regions with denuded](#)

[areas can we detect greater amounts of change?](#) *Osteoarthritis Cartilage*. 2010;18:175-183.[PMCID:2818144].

503. Lynch JA, Roemer FW, Nevitt MC, Felson DT, Niu J, Eaton CB, Guermazi A. [Comparison of BLOKS and WORMS scoring systems part I. Cross sectional comparison of methods to assess cartilage morphology, meniscal damage and bone marrow lesions on knee MRI: data from the osteoarthritis initiative.](#) *Osteoarthritis Cartilage*. 2010;18:1393-1401.[PMCID:3055245].
504. Song J, Semanik P, Sharma L, Chang RW, Hochberg MC, Mysiw WJ, Bathon JM, Eaton CB, Jackson R, Kwok CK, Nevitt M, Dunlop DD. [Assessing physical activity in persons with knee osteoarthritis using accelerometers: data from the osteoarthritis initiative.](#) *Arthritis Care Res (Hoboken)*. 2010;62:1724-1732.[PMCID:2995807].
505. Stehling C, Lane NE, Nevitt MC, Lynch J, McCulloch CE, Link TM. [Subjects with higher physical activity levels have more severe focal knee lesions diagnosed with 3T MRI: analysis of a non-symptomatic cohort of the osteoarthritis initiative.](#) *Osteoarthritis Cartilage*. 2010;18:776-786.
506. Stehling C, Liebl H, Krug R, Lane NE, Nevitt MC, Lynch J, McCulloch CE, Link TM. [Patellar cartilage: T2 values and morphologic abnormalities at 3.0-T MR imaging in relation to physical activity in asymptomatic subjects from the osteoarthritis initiative.](#) *Radiology*. 2010;254:509-520.[PMCID:2809928].
507. Stein V, Li L, Guermazi A, Zhang Y, Kent Kwok C, Eaton CB, Hunter DJ, Investigators OAI. [The relation of femoral notch stenosis to ACL tears in persons with knee osteoarthritis.](#) *Osteoarthritis Cartilage*. 2010;18:192-199.[PMCID:4174406].
508. Suri P, Morgenroth DC, Kwok CK, Bean JF, Kalichman L, Hunter DJ. [Low back pain and other musculoskeletal pain comorbidities in individuals with symptomatic osteoarthritis of the knee: data from the osteoarthritis initiative.](#) *Arthritis Care Res (Hoboken)*. 2010;62:1715-1723.[PMCID:2995827].
509. Swanson MS, Prescott JW, Best TM, Powell K, Jackson RD, Haq F, Gurcan MN. [Semi-automated segmentation to assess the lateral meniscus in normal and osteoarthritic knees.](#) *Osteoarthritis Cartilage*. 2010;18:344-353.[PMCID:2826568].
510. Thompson LR, Boudreau R, Newman AB, Hannon MJ, Chu CR, Nevitt MC, Kent Kwok C, Investigators OAI. [The association of osteoarthritis risk factors with localized, regional and diffuse knee pain.](#) *Osteoarthritis Cartilage*. 2010;18:1244-1249.[PMCID:3132895].
511. Vignon E, Brandt KD, Mercier C, Hochberg M, Hunter D, Mazzuca S, Powell K, Wyman B, Le Graverand MP. [Alignment of the medial tibial plateau affects the rate of joint space narrowing in the osteoarthritic knee.](#) *Osteoarthritis Cartilage*. 2010;18:1436-1440. [PMCID:3049986].
512. Yin Y, Zhang X, Williams R, Wu X, Anderson DD, Sonka M. [LOGISMOS--layered optimal graph image segmentation of multiple objects and surfaces: cartilage segmentation in the knee joint.](#) *IEEE Trans Med Imaging*. 2010;29:2023-2037. [PMCID:3131162].
513. Wirth W, Benichou O, Kwok CK, Guermazi A, Hunter D, Putz R, Eckstein F, Investigators OAI. [Spatial patterns of cartilage loss in the medial femoral condyle in osteoarthritic knees: data from the Osteoarthritis Initiative.](#) *Magn Reson Med*. 2010;63:574-581.[PMCID:3132941].

514. Wirth W, Nevitt M, Hellio Le Graverand MP, Benichou O, Dreher D, Davies RY, Lee J, Picha K, Gimona A, Maschek S, Hudelmaier M, Eckstein F, investigators OAI. [Sensitivity to change of cartilage morphometry using coronal FLASH, sagittal DESS, and coronal MPR DESS protocols--comparative data from the Osteoarthritis Initiative \(OAI\)](#). *Osteoarthritis Cartilage*. 2010;18:547-554.[PMCID:2846231].

2009

515. Bae KT, Shim H, Tao C, Chang S, Wang JH, Boudreau R, Kwok CK. [Intra- and inter-observer reproducibility of volume measurement of knee cartilage segmented from the OAI MR image set using a novel semi-automated segmentation method](#). *Osteoarthritis Cartilage*. 2009;17:1589-1597.[PMCID:2941641].

516. Brem MH, Lang PK, Neumann G, Schlechtweg PM, Schneider E, Jackson R, Yu J, Eaton CB, Hennig FF, Yoshioka H, Pappas G, Duryea J. [Magnetic resonance image segmentation using semi-automated software for quantification of knee articular cartilage---initial evaluation of a technique for paired scans](#). *Skeletal Radiol*. 2009;38:505-511.[PMCID:3018074].

517. Eckstein F, Benichou O, Wirth W, Nelson DR, Maschek S, Hudelmaier M, Kwok CK, Guermazi A, Hunter D, Osteoarthritis Initiative I. [Magnetic resonance imaging-based cartilage loss in painful contralateral knees with and without radiographic joint space narrowing: Data from the osteoarthritis initiative](#). *Arthritis Rheum*. 2009;61:1218-1225.[PMCID:2935616].

518. Eckstein F, Maschek S, Wirth W, Hudelmaier M, Hitzl W, Wyman B, Nevitt M, Le Graverand MP. [One year change of knee cartilage morphology in the first release of participants from the Osteoarthritis Initiative progression subcohort: association with sex, body mass index, symptoms and radiographic osteoarthritis status](#). *Ann Rheum Dis*. 2009;68:674-679.[PMCID:2976866].

519. Felson DT, Cooke TD, Niu J, Goggins J, Choi J, Yu J, Nevitt MC, Group OAI. [Can anatomic alignment measured from a knee radiograph substitute for mechanical alignment from full limb films?](#) *Osteoarthritis Cartilage*. 2009;17:1448-1452.[PMCID:2763977].

520. Hunter DJ, Niu J, Zhang Y, Totterman S, Tamez J, Dabrowski C, Davies R, Le Graverand MP, Luchi M, Tymofyeyev Y, Beals CR. [Change in cartilage morphometry: a sample of the progression cohort of the Osteoarthritis Initiative](#). *Ann Rheum Dis*. 2009;68:349-356.[PMCID:2734969].

521. Lo GH, Hunter DJ, Nevitt M, Lynch J, McAlindon TE, Group OAI. [Strong association of MRI meniscal derangement and bone marrow lesions in knee osteoarthritis: data from the osteoarthritis initiative](#). *Osteoarthritis Cartilage*. 2009;17:743-747.[PMCID:2771759].

522. Lo GH, McAlindon TE, Niu J, Zhang Y, Beals C, Dabrowski C, Le Graverand MP, Hunter DJ, Group OAI. [Bone marrow lesions and joint effusion are strongly and independently associated with weight-bearing pain in knee osteoarthritis: data from the osteoarthritis initiative](#). *Osteoarthritis Cartilage*. 2009;17:1562-1569.[PMCID:2787856].

523. Prescott JW, Priddy M, Best TM, Pennell M, Swanson MS, Haq F, Jackson RD, Gurcan MN. [An automated method to detect interstitial adipose tissue in thigh muscles for patients with osteoarthritis](#). *Conf Proc IEEE Eng Med Biol Soc*. 2009;1:6360-6363.[PMCID:2826818].

524. Riddle DL, Kong X, Jiranek WA. [Two-year incidence and predictors of future knee](#)

[arthroplasty in persons with symptomatic knee osteoarthritis: preliminary analysis of longitudinal data from the osteoarthritis initiative.](#) *Knee*. 2009;16:494-500.[PMCID:2801437].

525. Shim H, Chang S, Tao C, Wang JH, Kwok CK, Bae KT. [Knee cartilage: efficient and reproducible segmentation on high-spatial-resolution MR images with the semiautomated graph-cut algorithm method.](#) *Radiology*. 2009;251:548-556.
526. Thompson LR, Boudreau R, Hannon MJ, Newman AB, Chu CR, Jansen M, Nevitt MC, Kwok CK, Osteoarthritis Initiative I. [The knee pain map: reliability of a method to identify knee pain location and pattern.](#) *Arthritis Rheum*. 2009;61:725-731.[PMCID:2802101].
527. Wesseling J, Dekker J, van den Berg WB, Bierma-Zeinstra SM, Boers M, Cats HA, Deckers P, Gorter KJ, Heuts PH, Hilberdink WK, Kloppenburg M, Nelissen RG, Oosterveld FG, Oostveen JC, Roorda LD, Viergever MA, ten Wolde S, Lafeber FP, Bijlsma JW. [CHECK \(Cohort Hip and Cohort Knee\): similarities and differences with the Osteoarthritis Initiative.](#) *Ann Rheum Dis*. 2009;68:1413-1419. [PMCID:3134276].
528. Wirth W, Hellio Le Graverand MP, Wyman BT, Maschek S, Hudelmaier M, Hitzl W, Nevitt M, Eckstein F, Group OAI. [Regional analysis of femorotibial cartilage loss in a subsample from the Osteoarthritis Initiative progression subcohort.](#) *Osteoarthritis Cartilage*. 2009;17:291-297.[PMCID:2778007].

2008

529. Lester G. [Clinical research in OA - the NIH Osteoarthritis Initiative.](#) *J Musculoskelet Neuronal Interact*. 2008;8:313-314.
530. Schneider E, NessAiver M, White D, Purdy D, Martin L, Fanella L, Davis D, Vignone M, Wu G, Gullapalli R. [The osteoarthritis initiative \(OAI\) magnetic resonance imaging quality assurance methods and results.](#) *Osteoarthritis Cartilage*. 2008;16:994-1004.[PMCID:2584336].
531. Watt E, Bui AA. [Evaluation of a dynamic bayesian belief network to predict osteoarthritic knee pain using data from the osteoarthritis initiative.](#) *AMIA Annu Symp Proc*. 2008:788-792.[PMCID:2656041].

2007

532. Duryea J, Neumann G, Brem MH, Koh W, Noorbakhsh F, Jackson RD, Yu J, Eaton CB, Lang P. [Novel fast semi-automated software to segment cartilage for knee MR acquisitions.](#) *Osteoarthritis Cartilage*. 2007;15:487-492.[PMCID:4175990].
533. Eckstein F, Kunz M, Hudelmaier M, Jackson R, Yu J, Eaton CB, Schneider E. [Impact of coil design on the contrast-to-noise ratio, precision, and consistency of quantitative cartilage morphometry at 3 Tesla: a pilot study for the osteoarthritis initiative.](#) *Magn Reson Med*. 2007;57:448-454.
534. Eckstein F, Kunz M, Schutzer M, Hudelmaier M, Jackson RD, Yu J, Eaton CB, Schneider E. [Two year longitudinal change and test-retest-precision of knee cartilage morphology in a pilot study for the osteoarthritis initiative.](#) *Osteoarthritis Cartilage*. 2007;15:1326-1332.[PMCID:2704340].

535. Eckstein F, Mosher T, Hunter D. [Imaging of knee osteoarthritis: data beyond the beauty](#). *Curr Opin Rheumatol*. 2007;19:435-443.
536. Tameem HZ, Sinha US. [Automated image processing and analysis of cartilage mri: Enabling technology for data mining applied to osteoarthritis](#). *AIP Conf Proc*. 2007;953:262-76.[PMCID:3140873].

2006

537. Eckstein F, Hudelmaier M, Wirth W, Kiefer B, Jackson R, Yu J, Eaton CB, Schneider E. [Double echo steady state magnetic resonance imaging of knee articular cartilage at 3 Tesla: a pilot study for the Osteoarthritis Initiative](#). *Ann Rheum Dis*. 2006;65:433-441.[PMCID:1798091].

2004

538. Eaton CB. [Obesity as a risk factor for osteoarthritis: mechanical versus metabolic](#). *Med Health R I*. 2004;87:201-204.
539. Fawaz-Estrup F. [The osteoarthritis initiative: an overview](#). *Med Health R I*. 2004;87:169-171.
540. Felson DT, Nevitt MC. [Epidemiologic studies for osteoarthritis: new versus conventional study design approaches](#). *Rheum Dis Clin North Am*. 2004;30:783-797, vii.

2003

541. McGowan JA. [Perspectives on the future of bone and joint diseases](#). *J Rheumatol Suppl*. 2003;67:62-64.

Articles reviewing OAI findings

2014

1. Baum T, Joseph GB, Karampinos DC, Jungmann PM, Link TM, Bauer JS. [Cartilage and meniscal T2 relaxation time as non-invasive biomarker for knee osteoarthritis and cartilage repair procedures](#). *Osteoarthritis Cartilage*. 2013 Oct;21(10):1474-84. Epub 2013 Jul 27. Review. [PMCID:3929642].
2. Eckstein F, Kwok CK, Link TM; for the OAI investigators. [Imaging research results from the Osteoarthritis Initiative \(OAI\): a review and lessons learned 10 years after start of enrolment](#). *Ann Rheum Dis*. 2014; 73: 1289-1300.
3. Pelletier JP, Cooper C, Peterfy C, Reginster JY, Brandi ML, Bruyère O, Chapurlat R, Cicuttini F, Conaghan PG, Doherty M, Genant H, Giacobelli G, Hochberg MC, Hunter DJ, Kanis JA, Kloppenburg M, Laredo JD, McAlindon T, Nevitt M, Raynaud JP, Rizzoli R, Zilkens C, Roemer FW, Martel-Pelletier J, Guermazi A. [What is the predictive value of MRI for the occurrence of knee replacement surgery in knee osteoarthritis?](#) *Ann Rheum Dis*. 2013 Oct;72(10):1594-604.

2013

4. Li X, Majumdar S. [Quantitative MRI of articular cartilage and its clinical applications](#). *J Magn Reson Imaging*. 2013 Nov;38(5):991-1008.[PMCID:3858854].

2012

5. Eckstein F, Wirth W, Nevitt MC. [Recent advances in osteoarthritis imaging-the Osteoarthritis Initiative](#). *Nat Rev Rheumatol*. 2012;8;622-630.